







照明插座配电箱	母排	空气开关型号	容量 KW	相别	导线 规格 型号	线路名称
P_n= 8 kW K_d = 0.7 cosφ = 0.80 P_c = 5.6 kW I_c = 10.61 A		iC65N-16A/1P	0.5	L1	WDZA-BYJ2.5x3-CT/MT FC	市电照明1
		iC65N-16A/1P	0.5	L2	WDZA-BYJ2.5x3-CT/MT FC	市电照明2
		iC65N-16A/1P	0.5	L1	WDZA-BYJ2.5x3-CT/MT FC	市电照明3
		iC65N-16A/1P	0.5	L2	WDZA-BYJ2.5x3-CT/MT FC	市电照明4
		iC65N-16A/1P		L3		备用
		iC65N-16A/1P		L1		备用
		iC65N-16A/2P	2	L2	WDZA-BYJ2.5x3-CT/MT FC	插座
		iC65N-16A/2P	2	L3	WDZA-BYJ2.5x3-CT/MT FC	插座
		iC65N-16A/2P	2		WDZA-BYJ2.5x3-CT/MT FC	插座
		WDZB-YJY-5×4-CT 引自市电配电柜D-1 IC65N 4P C32A		iC65N-16A/1P	0.5	L1
iC65N-16A/1P	0.5			L2	WDZA-BYJ2.5x3-CT/MT FC	应急照明2
iC65N-16A/1P	0.5			L1	WDZA-BYJ2.5x3-CT/MT FC	应急照明3
iC65N-16A/1P	0.5			L2	WDZA-BYJ2.5x3-CT/MT FC	应急照明4
iC65N-16A/1P	0.5			L3	WDZA-BYJ2.5x3-CT/MT FC	监控、门禁
iC65N-16A/1P				L1		备用
iC65N-16A/2P	2			L2	WDZA-BYJ2.5x3-CT/MT FC	应急插座
iC65N-16A/2P	2			L3	WDZA-BYJ2.5x3-CT/MT FC	应急插座
iC65N-16A/2P	2			L1	WDZA-BYJ2.5x3-CT/MT FC	应急插座
N UPS1# N UPS2# PE						

