

静水力计算书

					浙江省岱山县500 吨级渔政执法船			
标记	数量	修改单号	签名	日期	静水力计算书			
编制		版本号	A1					
校对								
审核								
标检								
批准		日期				总面积	5.22m ²	共 87 页 第 1 页

主要参数

垂线间长.....	62.000	m
型 宽.....	9.000	m
型 深.....	4.800	m
设计吃水.....	2.500	m
设计纵倾.....	0.000	m

单位定义

长度单位: 米 [m]
重量单位: 吨 [t]
角度单位: 度 [deg]

坐标轴定义

X 轴: 向右为正
Y 轴: 向首为正
Z 轴: 向上为正
纵倾: 尾倾为正
横倾: 右倾为正

SRH11[Ver.2023]1.001

20226918 — CSDDC

参考列表

总坐标系原点定义：

纵向..... 尾垂线
横向..... 中心线
垂向..... 基线

参考点（距总坐标系原点）：

纵向..... 31.000 m
横向..... 0.000 m
垂向..... 0.000 m
最大吃水
垂向..... 0.008 m

缩写

- 1 DRAUGHT EXTREME..... 船舶最大吃水
- 2 DRAUGHT RFP..... 船舶输出参考点以上吃水
- 3 DISPL TOTAL SW..... 海水排水量
- 4 DISPL TOTAL FW..... 淡水排水量
- 5 DISPL MLD..... 型排水体积
- 6 LCF FWD OF RFP..... 参考点前的漂心纵坐标
- 7 TCF STB OF RFP..... 参考点右舷的漂心横坐标
- 8 LCB FWD OF RFP..... 参考点前的形心纵坐标
- 9 TCB STB OF RFP..... 参考点右舷的形心横坐标
- 10 VCB ABOVE RFP..... 参考点上的形心垂坐标
- 11 KMT..... 参考点上的横稳心垂向位置
- 12 KML..... 参考点上的纵稳心垂向位置
- 13 IT..... 中和轴的横性惯性矩
- 14 IL/1000..... 中和轴的纵性惯性矩的平分数
- 15 MCT SW..... 海水中每厘米纵倾力矩
- 16 TPC SW..... 海水中每厘米吃水吨数
- 17 WPA..... 水线面积
- 18 WETSURF..... 设计浸水表面
- 19 CB..... 方型系数 = 型排水体积/（垂线间长*吃水*型宽）
- 20 CP..... 棱型系数
- 21 CM..... 最大横剖面系数 = 最大横剖面面积/(吃水*型宽)
- 22 CW..... 水线面积系数 = 水线面积/(垂线间长*型宽)
- 23 CWF..... 前体水线面系数
- 24 CBF..... 前体方型系数
- 25 DISPL TOTAL SW..... 相对各种纵倾的海水排水量
- 26 KMT..... 相对各种纵倾的初稳心横向位置
- 27 LCB FWD OF RFP..... 相对各种纵倾的形心纵坐标

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	1.508	1.518	1.528	1.538	1.548	1.558
2 DRAUGHT RFP(m)	1.500	1.510	1.520	1.530	1.540	1.550
3 DISPL TOTAL SW(t)	190.9	193.7	196.6	199.5	202.4	205.3
4 DISPL TOTAL FW(t)	186.2	189.0	191.8	194.6	197.5	200.3
5 DISPL MLD(m^3)	184.0	186.7	189.5	192.3	195.1	198.0
6 LCF FWD RFP(m)	-3.500	-3.597	-3.696	-3.453	-3.523	-3.597
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-0.295	-0.340	-0.386	-0.436	-0.480	-0.524
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.011	1.018	1.025	1.033	1.040	1.047
11 KMT(m)	4.894	4.936	4.978	5.007	5.047	5.088
12 KML(m)	289.3	290.4	291.5	278.8	278.9	279.1
13 IT(m^4)	714	731	749	764	782	800
14 IL/1000(m^4)	53.0	54.0	55.0	53.4	54.2	55.1
15 MCT SW(t*m/cm)	8.77	8.93	9.10	8.83	8.96	9.10
16 TPM SW(t/cm)	2.825	2.855	2.886	2.881	2.908	2.936
17 WPA(m^2)	275.6	278.6	281.5	281.1	283.7	286.4
18 WETSURF(m^2)	374.7	377.7	380.7	384.0	387.1	390.2
19 CB	0.2198	0.2216	0.2234	0.2253	0.2271	0.2289
20 CP	0.5547	0.5559	0.5571	0.5584	0.5596	0.5608
21 CM	0.3963	0.3986	0.4010	0.4034	0.4058	0.4082
22 CW	0.4940	0.4992	0.5046	0.5037	0.5085	0.5133
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	186.7	189.4	192.1	194.8	197.5	200.3
TRIM AFT -0.200 m	188.3	191.1	193.8	196.6	199.4	202.3
TRIM AFT 0.000 m	190.9	193.7	196.6	199.5	202.4	205.3
TRIM AFT 0.200 m	194.4	197.4	200.3	203.3	206.4	209.4
TRIM AFT 0.400 m	199.2	202.2	205.3	208.4	211.5	214.7
TRIM AFT 0.600 m	205.0	208.2	211.3	214.6	217.8	221.1
26 KMT [m]						
TRIM AFT -0.400 m	4.619	4.656	4.693	4.729	4.766	4.803
TRIM AFT -0.200 m	4.741	4.779	4.818	4.857	4.897	4.936
TRIM AFT 0.000 m	4.894	4.936	4.978	5.007	5.047	5.088
TRIM AFT 0.200 m	5.059	5.102	5.145	5.189	5.232	5.276
TRIM AFT 0.400 m	5.276	5.323	5.370	5.417	5.465	5.513
TRIM AFT 0.600 m	5.552	5.603	5.655	5.707	5.757	5.807
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	1.449	1.408	1.368	1.327	1.286	1.244
TRIM AFT -0.200 m	0.615	0.572	0.530	0.486	0.443	0.399
TRIM AFT 0.000 m	-0.295	-0.340	-0.386	-0.436	-0.480	-0.524
TRIM AFT 0.200 m	-1.275	-1.322	-1.369	-1.416	-1.463	-1.510
TRIM AFT 0.400 m	-2.332	-2.379	-2.426	-2.472	-2.519	-2.565

TRIM AFT 0.600 m	-3.439	-3.483	-3.527	-3.571	-3.614	-3.657
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	1.568	1.578	1.588	1.598	1.608	1.618
2 DRAUGHT RFP(m)	1.560	1.570	1.580	1.590	1.600	1.610
3 DISPL TOTAL SW(t)	208.3	211.3	214.3	217.4	220.4	223.6
4 DISPL TOTAL FW(t)	203.2	206.1	209.1	212.1	215.1	218.1
5 DISPL MLD(m^3)	200.9	203.8	206.7	209.6	212.6	215.7
6 LCF FWD RFP(m)	-3.676	-3.759	-3.846	-3.937	-4.013	-4.088
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-0.568	-0.613	-0.658	-0.703	-0.749	-0.796
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.055	1.062	1.069	1.076	1.084	1.091
11 KMT(m)	5.129	5.170	5.211	5.253	5.294	5.336
12 KML(m)	279.6	280.2	280.9	281.8	282.1	282.3
13 IT(m^4)	818	837	856	876	895	916
14 IL/1000(m^4)	55.9	56.9	57.8	58.9	59.8	60.7
15 MCT SW(t*m/cm)	9.25	9.40	9.56	9.73	9.88	10.03
16 TPM SW(t/cm)	2.965	2.994	3.024	3.054	3.083	3.112
17 WPA(m^2)	289.2	292.1	295.0	298.0	300.8	303.6
18 WETSURF(m^2)	393.4	396.5	399.7	402.9	406.2	409.4
19 CB	0.2308	0.2326	0.2344	0.2363	0.2382	0.2400
20 CP	0.5620	0.5632	0.5644	0.5656	0.5668	0.5681
21 CM	0.4106	0.4130	0.4154	0.4178	0.4202	0.4225
22 CW	0.5183	0.5234	0.5286	0.5340	0.5390	0.5441
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	203.1	205.9	208.7	211.6	214.5	217.4
TRIM AFT -0.200 m	205.2	208.1	211.0	214.0	216.9	220.0
TRIM AFT 0.000 m	208.3	211.3	214.3	217.4	220.4	223.6
TRIM AFT 0.200 m	212.5	215.6	218.7	221.9	225.1	228.3
TRIM AFT 0.400 m	217.9	221.1	224.3	227.6	230.9	234.2
TRIM AFT 0.600 m	224.3	227.7	231.0	234.4	237.8	241.2
26 KMT [m]						
TRIM AFT -0.400 m	4.840	4.877	4.914	4.952	4.990	5.028
TRIM AFT -0.200 m	4.976	5.016	5.056	5.096	5.137	5.178
TRIM AFT 0.000 m	5.129	5.170	5.211	5.253	5.294	5.336
TRIM AFT 0.200 m	5.320	5.364	5.409	5.454	5.500	5.545
TRIM AFT 0.400 m	5.562	5.611	5.660	5.709	5.759	5.809
TRIM AFT 0.600 m	5.858	5.908	5.959	6.011	6.062	6.115
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	1.203	1.161	1.119	1.077	1.034	0.992
TRIM AFT -0.200 m	0.355	0.310	0.265	0.220	0.175	0.130
TRIM AFT 0.000 m	-0.568	-0.613	-0.658	-0.703	-0.749	-0.796
TRIM AFT 0.200 m	-1.558	-1.605	-1.652	-1.699	-1.746	-1.793
TRIM AFT 0.400 m	-2.611	-2.657	-2.702	-2.748	-2.793	-2.838

TRIM AFT 0.600 m	-3.700	-3.742	-3.785	-3.826	-3.868	-3.909
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	1.628	1.638	1.648	1.658	1.668	1.678
2 DRAUGHT RFP(m)	1.620	1.630	1.640	1.650	1.660	1.670
3 DISPL TOTAL SW(t)	226.7	229.9	233.1	236.3	239.6	242.9
4 DISPL TOTAL FW(t)	221.2	224.3	227.4	230.5	233.7	236.9
5 DISPL MLD(m^3)	218.7	221.8	224.9	228.0	231.2	234.4
6 LCF FWD RFP(m)	-4.161	-4.233	-4.302	-4.365	-4.428	-4.490
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-0.842	-0.889	-0.936	-0.983	-1.030	-1.077
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.098	1.106	1.113	1.120	1.127	1.135
11 KMT(m)	5.379	5.421	5.464	5.507	5.550	5.594
12 KML(m)	282.5	282.6	282.6	282.4	282.1	281.9
13 IT(m^4)	936	957	979	1000	1022	1045
14 IL/1000(m^4)	61.5	62.4	63.3	64.1	65.0	65.8
15 MCT SW(t*m/cm)	10.18	10.32	10.47	10.60	10.74	10.88
16 TPM SW(t/cm)	3.141	3.170	3.199	3.227	3.255	3.283
17 WPA(m^2)	306.4	309.3	312.1	314.8	317.6	320.3
18 WETSURF(m^2)	412.6	415.8	418.9	422.1	425.2	428.3
19 CB	0.2419	0.2438	0.2457	0.2477	0.2496	0.2515
20 CP	0.5694	0.5706	0.5719	0.5731	0.5744	0.5757
21 CM	0.4249	0.4273	0.4297	0.4321	0.4345	0.4369
22 CW	0.5492	0.5542	0.5593	0.5642	0.5691	0.5741
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	220.3	223.3	226.3	229.3	232.4	235.4
TRIM AFT -0.200 m	223.0	226.1	229.2	232.3	235.4	238.6
TRIM AFT 0.000 m	226.7	229.9	233.1	236.3	239.6	242.9
TRIM AFT 0.200 m	231.6	234.9	238.2	241.5	244.9	248.3
TRIM AFT 0.400 m	237.6	241.0	244.4	247.8	251.3	254.8
TRIM AFT 0.600 m	244.7	248.1	251.6	255.2	258.8	262.3
26 KMT [m]						
TRIM AFT -0.400 m	5.066	5.105	5.144	5.182	5.222	5.261
TRIM AFT -0.200 m	5.219	5.248	5.288	5.328	5.368	5.409
TRIM AFT 0.000 m	5.379	5.421	5.464	5.507	5.550	5.594
TRIM AFT 0.200 m	5.592	5.638	5.685	5.732	5.779	5.827
TRIM AFT 0.400 m	5.859	5.908	5.957	6.006	6.055	6.105
TRIM AFT 0.600 m	6.168	6.222	6.276	6.331	6.385	6.433
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	0.949	0.905	0.862	0.818	0.774	0.730
TRIM AFT -0.200 m	0.084	0.035	-0.009	-0.053	-0.097	-0.142
TRIM AFT 0.000 m	-0.842	-0.889	-0.936	-0.983	-1.030	-1.077
TRIM AFT 0.200 m	-1.840	-1.886	-1.933	-1.979	-2.026	-2.072
TRIM AFT 0.400 m	-2.883	-2.927	-2.971	-3.015	-3.059	-3.102

TRIM AFT 0.600 m	-3.949	-3.990	-4.030	-4.070	-4.109	-4.148
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	1.688	1.698	1.708	1.718	1.728	1.738
2 DRAUGHT RFP(m)	1.680	1.690	1.700	1.710	1.720	1.730
3 DISPL TOTAL SW(t)	246.2	249.5	252.9	256.3	259.7	263.2
4 DISPL TOTAL FW(t)	240.2	243.4	246.7	250.0	253.4	256.7
5 DISPL MLD(m^3)	237.6	240.8	244.1	247.4	250.7	254.1
6 LCF FWD RFP(m)	-4.551	-4.610	-4.669	-4.727	-4.785	-4.843
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-1.124	-1.171	-1.218	-1.265	-1.311	-1.358
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.142	1.149	1.157	1.164	1.171	1.179
11 KMT(m)	5.638	5.682	5.727	5.765	5.798	5.824
12 KML(m)	281.6	281.2	280.8	280.4	280.0	279.5
13 IT(m^4)	1068	1092	1116	1138	1160	1180
14 IL/1000(m^4)	66.6	67.4	68.3	69.1	69.9	70.7
15 MCT SW(t*m/cm)	11.01	11.15	11.29	11.42	11.56	11.69
16 TPM SW(t/cm)	3.312	3.340	3.368	3.395	3.422	3.447
17 WPA(m^2)	323.1	325.9	328.6	331.3	333.8	336.2
18 WETSURF(m^2)	431.4	434.6	437.7	440.7	443.7	446.6
19 CB	0.2534	0.2554	0.2573	0.2593	0.2612	0.2632
20 CP	0.5770	0.5782	0.5795	0.5808	0.5820	0.5833
21 CM	0.4393	0.4416	0.4440	0.4464	0.4488	0.4512
22 CW	0.5790	0.5840	0.5889	0.5937	0.5982	0.6026
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	238.6	241.7	244.9	248.0	251.3	254.6
TRIM AFT -0.200 m	241.8	245.0	248.3	251.6	254.9	258.3
TRIM AFT 0.000 m	246.2	249.5	252.9	256.3	259.7	263.2
TRIM AFT 0.200 m	251.7	255.1	258.6	262.1	265.6	269.2
TRIM AFT 0.400 m	258.3	261.8	265.4	269.0	272.6	276.3
TRIM AFT 0.600 m	266.0	269.6	273.3	276.9	280.6	284.4
26 KMT [m]						
TRIM AFT -0.400 m	5.301	5.341	5.381	5.421	5.457	5.471
TRIM AFT -0.200 m	5.449	5.490	5.531	5.572	5.602	5.630
TRIM AFT 0.000 m	5.638	5.682	5.727	5.765	5.798	5.824
TRIM AFT 0.200 m	5.875	5.923	5.965	6.002	6.030	6.055
TRIM AFT 0.400 m	6.155	6.193	6.228	6.258	6.284	6.302
TRIM AFT 0.600 m	6.466	6.492	6.516	6.534	6.547	6.552
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	0.685	0.640	0.596	0.550	0.505	0.457
TRIM AFT -0.200 m	-0.187	-0.232	-0.277	-0.323	-0.370	-0.416
TRIM AFT 0.000 m	-1.124	-1.171	-1.218	-1.265	-1.311	-1.358
TRIM AFT 0.200 m	-2.118	-2.163	-2.209	-2.254	-2.299	-2.344
TRIM AFT 0.400 m	-3.145	-3.187	-3.230	-3.271	-3.313	-3.354

TRIM AFT 0.600 m	-4.187	-4.225	-4.263	-4.301	-4.338	-4.375
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	1.748	1.758	1.768	1.778	1.788	1.798
2 DRAUGHT RFP(m)	1.740	1.750	1.760	1.770	1.780	1.790
3 DISPL TOTAL SW(t)	266.6	270.1	273.7	277.2	280.8	284.4
4 DISPL TOTAL FW(t)	260.1	263.5	267.0	270.4	273.9	277.4
5 DISPL MLD(m^3)	257.4	260.8	264.2	267.7	271.2	274.6
6 LCF FWD RFP(m)	-4.899	-4.955	-5.010	-5.062	-5.115	-5.168
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-1.404	-1.451	-1.497	-1.543	-1.588	-1.634
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.186	1.193	1.200	1.208	1.215	1.222
11 KMT(m)	5.848	5.874	5.898	5.918	5.937	5.952
12 KML(m)	279.0	278.5	277.9	277.4	276.8	276.2
13 IT(m^4)	1200	1221	1241	1261	1280	1299
14 IL/1000(m^4)	71.5	72.3	73.1	73.9	74.7	75.5
15 MCT SW(t*m/cm)	11.82	11.96	12.09	12.22	12.35	12.48
16 TPM SW(t/cm)	3.471	3.496	3.520	3.543	3.566	3.588
17 WPA(m^2)	338.6	341.0	343.4	345.7	347.9	350.1
18 WETSURF(m^2)	449.5	452.4	455.2	458.0	460.7	463.4
19 CB	0.2651	0.2671	0.2691	0.2710	0.2730	0.2750
20 CP	0.5847	0.5860	0.5874	0.5888	0.5902	0.5916
21 CM	0.4535	0.4558	0.4581	0.4603	0.4626	0.4648
22 CW	0.6069	0.6112	0.6154	0.6194	0.6235	0.6273
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	257.8	261.1	264.4	267.7	271.1	274.5
TRIM AFT -0.200 m	261.6	265.0	268.4	271.9	275.4	278.8
TRIM AFT 0.000 m	266.6	270.1	273.7	277.2	280.8	284.4
TRIM AFT 0.200 m	272.7	276.3	280.0	283.6	287.3	290.9
TRIM AFT 0.400 m	279.9	283.6	287.3	291.0	294.8	298.5
TRIM AFT 0.600 m	288.1	291.8	295.6	299.4	303.2	307.0
26 KMT [m]						
TRIM AFT -0.400 m	5.496	5.521	5.546	5.561	5.574	5.588
TRIM AFT -0.200 m	5.658	5.682	5.703	5.725	5.742	5.758
TRIM AFT 0.000 m	5.848	5.874	5.898	5.918	5.937	5.952
TRIM AFT 0.200 m	6.075	6.095	6.116	6.131	6.146	6.162
TRIM AFT 0.400 m	6.320	6.337	6.349	6.361	6.372	6.378
TRIM AFT 0.600 m	6.556	6.553	6.550	6.538	6.525	6.502
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	0.413	0.370	0.326	0.282	0.238	0.194
TRIM AFT -0.200 m	-0.463	-0.509	-0.556	-0.602	-0.648	-0.695
TRIM AFT 0.000 m	-1.404	-1.451	-1.497	-1.543	-1.588	-1.634
TRIM AFT 0.200 m	-2.388	-2.432	-2.476	-2.520	-2.563	-2.605
TRIM AFT 0.400 m	-3.395	-3.436	-3.476	-3.515	-3.555	-3.594

TRIM AFT 0.600 m	-4.411	-4.446	-4.481	-4.516	-4.549	-4.582
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	1.808	1.818	1.828	1.838	1.848	1.858
2 DRAUGHT RFP(m)	1.800	1.810	1.820	1.830	1.840	1.850
3 DISPL TOTAL SW(t)	288.0	291.6	295.3	298.9	302.6	306.3
4 DISPL TOTAL FW(t)	280.9	284.5	288.1	291.6	295.2	298.9
5 DISPL MLD(m^3)	278.1	281.7	285.2	288.8	292.4	296.0
6 LCF FWD RFP(m)	-5.222	-5.266	-5.310	-5.353	-5.395	-5.436
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-1.679	-1.724	-1.769	-1.813	-1.857	-1.901
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.229	1.237	1.244	1.251	1.258	1.265
11 KMT(m)	5.969	5.976	5.984	5.993	6.003	6.011
12 KML(m)	275.5	274.7	273.9	273.1	272.3	271.5
13 IT(m^4)	1318	1335	1352	1369	1387	1405
14 IL/1000(m^4)	76.3	77.0	77.8	78.5	79.3	80.0
15 MCT SW(t*m/cm)	12.61	12.74	12.86	12.98	13.10	13.22
16 TPM SW(t/cm)	3.610	3.630	3.650	3.670	3.689	3.709
17 WPA(m^2)	352.2	354.1	356.1	358.0	359.9	361.8
18 WETSURF(m^2)	466.2	468.7	471.2	473.7	476.2	478.7
19 CB	0.2769	0.2789	0.2809	0.2828	0.2848	0.2867
20 CP	0.5930	0.5944	0.5959	0.5973	0.5988	0.6003
21 CM	0.4670	0.4692	0.4713	0.4735	0.4756	0.4777
22 CW	0.6312	0.6347	0.6381	0.6416	0.6451	0.6484
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	277.9	281.3	284.8	288.2	291.7	295.3
TRIM AFT -0.200 m	282.4	285.9	289.5	293.0	296.6	300.3
TRIM AFT 0.000 m	288.0	291.6	295.3	298.9	302.6	306.3
TRIM AFT 0.200 m	294.6	298.3	302.1	305.8	309.6	313.4
TRIM AFT 0.400 m	302.3	306.1	309.9	313.7	317.6	321.4
TRIM AFT 0.600 m	310.8	314.6	318.5	322.3	326.1	330.0
26 KMT [m]						
TRIM AFT -0.400 m	5.602	5.617	5.632	5.641	5.651	5.661
TRIM AFT -0.200 m	5.769	5.780	5.793	5.806	5.820	5.828
TRIM AFT 0.000 m	5.969	5.976	5.984	5.993	6.003	6.011
TRIM AFT 0.200 m	6.172	6.178	6.185	6.193	6.199	6.200
TRIM AFT 0.400 m	6.384	6.384	6.379	6.374	6.368	6.355
TRIM AFT 0.600 m	6.474	6.439	6.402	6.365	6.329	6.294
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	0.149	0.104	0.059	0.013	-0.032	-0.078
TRIM AFT -0.200 m	-0.741	-0.787	-0.833	-0.879	-0.924	-0.970
TRIM AFT 0.000 m	-1.679	-1.724	-1.769	-1.813	-1.857	-1.901
TRIM AFT 0.200 m	-2.648	-2.690	-2.731	-2.773	-2.813	-2.854
TRIM AFT 0.400 m	-3.632	-3.670	-3.707	-3.744	-3.780	-3.816

TRIM AFT 0.600 m	-4.614	-4.645	-4.675	-4.704	-4.732	-4.759
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	1.868	1.878	1.888	1.898	1.908	1.918
2 DRAUGHT RFP(m)	1.860	1.870	1.880	1.890	1.900	1.910
3 DISPL TOTAL SW(t)	310.1	313.8	317.6	321.4	325.2	329.0
4 DISPL TOTAL FW(t)	302.5	306.2	309.8	313.5	317.2	321.0
5 DISPL MLD(m^3)	299.6	303.3	306.9	310.6	314.3	318.0
6 LCF FWD RFP(m)	-5.474	-5.511	-5.549	-5.587	-5.624	-5.659
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-1.944	-1.987	-2.030	-2.072	-2.114	-2.155
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.272	1.280	1.287	1.294	1.301	1.308
11 KMT(m)	6.015	6.020	6.026	6.034	6.039	6.037
12 KML(m)	270.6	269.8	268.9	268.2	267.3	266.4
13 IT(m^4)	1421	1438	1455	1472	1489	1504
14 IL/1000(m^4)	80.7	81.4	82.1	82.9	83.6	84.3
15 MCT SW(t*m/cm)	13.34	13.46	13.58	13.70	13.82	13.94
16 TPM SW(t/cm)	3.727	3.745	3.764	3.782	3.800	3.816
17 WPA(m^2)	363.6	365.4	367.2	369.0	370.8	372.3
18 WETSURF(m^2)	481.1	483.5	485.9	488.4	490.8	493.0
19 CB	0.2887	0.2906	0.2926	0.2945	0.2964	0.2984
20 CP	0.6018	0.6032	0.6047	0.6062	0.6077	0.6092
21 CM	0.4797	0.4818	0.4838	0.4858	0.4878	0.4898
22 CW	0.6516	0.6548	0.6581	0.6613	0.6645	0.6673
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	298.8	302.4	306.0	309.6	313.2	316.9
TRIM AFT -0.200 m	303.9	307.6	311.3	315.0	318.7	322.4
TRIM AFT 0.000 m	310.1	313.8	317.6	321.4	325.2	329.0
TRIM AFT 0.200 m	317.2	321.0	324.9	328.7	332.6	336.5
TRIM AFT 0.400 m	325.3	329.1	333.0	336.9	340.8	344.7
TRIM AFT 0.600 m	333.9	337.7	341.6	345.5	349.4	353.2
26 KMT [m]						
TRIM AFT -0.400 m	5.672	5.680	5.690	5.692	5.696	5.700
TRIM AFT -0.200 m	5.837	5.846	5.856	5.863	5.868	5.868
TRIM AFT 0.000 m	6.015	6.020	6.026	6.034	6.039	6.037
TRIM AFT 0.200 m	6.202	6.204	6.206	6.202	6.199	6.196
TRIM AFT 0.400 m	6.343	6.329	6.305	6.283	6.256	6.225
TRIM AFT 0.600 m	6.261	6.228	6.196	6.164	6.134	6.104
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-0.123	-0.169	-0.214	-0.259	-0.305	-0.350
TRIM AFT -0.200 m	-1.015	-1.060	-1.105	-1.150	-1.194	-1.238
TRIM AFT 0.000 m	-1.944	-1.987	-2.030	-2.072	-2.114	-2.155
TRIM AFT 0.200 m	-2.894	-2.934	-2.973	-3.012	-3.050	-3.088
TRIM AFT 0.400 m	-3.851	-3.886	-3.919	-3.952	-3.984	-4.016

TRIM AFT 0.600 m	-4.785	-4.811	-4.835	-4.859	-4.882	-4.904
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	1.928	1.938	1.948	1.958	1.968	1.978
2 DRAUGHT RFP(m)	1.920	1.930	1.940	1.950	1.960	1.970
3 DISPL TOTAL SW(t)	332.8	336.7	340.5	344.4	348.3	352.2
4 DISPL TOTAL FW(t)	324.7	328.5	332.2	336.0	339.8	343.6
5 DISPL MLD(m^3)	321.7	325.5	329.2	333.0	336.8	340.6
6 LCF FWD RFP(m)	-5.694	-5.728	-5.762	-5.795	-5.820	-5.845
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-2.197	-2.237	-2.278	-2.318	-2.358	-2.397
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.315	1.322	1.329	1.336	1.343	1.350
11 KMT(m)	6.036	6.036	6.037	6.037	6.032	6.027
12 KML(m)	265.5	264.6	263.7	262.8	261.7	260.7
13 IT(m^4)	1519	1534	1550	1566	1579	1593
14 IL/1000(m^4)	85.0	85.7	86.4	87.1	87.7	88.3
15 MCT SW(t*m/cm)	14.05	14.17	14.28	14.39	14.50	14.60
16 TPM SW(t/cm)	3.833	3.849	3.865	3.880	3.894	3.908
17 WPA(m^2)	373.9	375.5	377.0	378.6	379.9	381.3
18 WETSURF(m^2)	495.3	497.5	499.8	502.0	504.1	506.2
19 CB	0.3003	0.3022	0.3041	0.3060	0.3079	0.3098
20 CP	0.6107	0.6121	0.6136	0.6151	0.6166	0.6181
21 CM	0.4918	0.4937	0.4956	0.4975	0.4994	0.5013
22 CW	0.6701	0.6729	0.6757	0.6784	0.6809	0.6834
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	320.5	324.2	327.9	331.7	335.4	339.2
TRIM AFT -0.200 m	326.2	330.0	333.7	337.6	341.4	345.2
TRIM AFT 0.000 m	332.8	336.7	340.5	344.4	348.3	352.2
TRIM AFT 0.200 m	340.4	344.3	348.2	352.1	356.1	360.0
TRIM AFT 0.400 m	348.6	352.6	356.5	360.4	364.4	368.3
TRIM AFT 0.600 m	357.1	361.1	365.0	368.9	372.8	376.7
26 KMT [m]						
TRIM AFT -0.400 m	5.706	5.712	5.719	5.724	5.726	5.728
TRIM AFT -0.200 m	5.869	5.871	5.873	5.877	5.878	5.877
TRIM AFT 0.000 m	6.036	6.036	6.037	6.037	6.032	6.027
TRIM AFT 0.200 m	6.193	6.179	6.166	6.154	6.141	6.119
TRIM AFT 0.400 m	6.194	6.163	6.134	6.102	6.071	6.040
TRIM AFT 0.600 m	6.075	6.047	6.020	5.993	5.967	5.938
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-0.394	-0.439	-0.484	-0.528	-0.573	-0.617
TRIM AFT -0.200 m	-1.282	-1.326	-1.369	-1.412	-1.454	-1.497
TRIM AFT 0.000 m	-2.197	-2.237	-2.278	-2.318	-2.358	-2.397
TRIM AFT 0.200 m	-3.125	-3.162	-3.198	-3.233	-3.268	-3.302
TRIM AFT 0.400 m	-4.046	-4.075	-4.104	-4.132	-4.159	-4.185

TRIM AFT 0.600 m	-4.926	-4.946	-4.967	-4.986	-5.005	-5.023
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	1.988	1.998	2.008	2.018	2.028	2.038
2 DRAUGHT RFP(m)	1.980	1.990	2.000	2.010	2.020	2.030
3 DISPL TOTAL SW(t)	356.1	360.1	364.0	368.0	372.0	376.0
4 DISPL TOTAL FW(t)	347.5	351.3	355.2	359.0	362.9	366.8
5 DISPL MLD(m^3)	344.4	348.2	352.1	355.9	359.8	363.7
6 LCF FWD RFP(m)	-5.869	-5.893	-5.915	-5.928	-5.940	-5.953
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-2.435	-2.474	-2.511	-2.549	-2.586	-2.622
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.357	1.364	1.371	1.377	1.384	1.391
11 KMT(m)	6.022	6.019	6.015	6.004	5.994	5.985
12 KML(m)	259.6	258.6	257.6	256.3	255.1	253.9
13 IT(m^4)	1607	1621	1635	1647	1659	1671
14 IL/1000(m^4)	89.0	89.6	90.2	90.8	91.3	91.8
15 MCT SW(t*m/cm)	14.71	14.81	14.91	15.00	15.09	15.18
16 TPM SW(t/cm)	3.922	3.936	3.950	3.962	3.973	3.985
17 WPA(m^2)	382.7	384.0	385.4	386.5	387.6	388.8
18 WETSURF(m^2)	508.3	510.4	512.4	514.3	516.3	518.2
19 CB	0.3117	0.3136	0.3155	0.3174	0.3192	0.3211
20 CP	0.6196	0.6210	0.6225	0.6239	0.6254	0.6268
21 CM	0.5032	0.5050	0.5068	0.5086	0.5104	0.5122
22 CW	0.6858	0.6882	0.6906	0.6926	0.6947	0.6967
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	343.0	346.8	350.6	354.4	358.3	362.1
TRIM AFT -0.200 m	349.1	353.0	356.9	360.8	364.7	368.6
TRIM AFT 0.000 m	356.1	360.1	364.0	368.0	372.0	376.0
TRIM AFT 0.200 m	364.0	368.0	371.9	375.9	379.9	383.9
TRIM AFT 0.400 m	372.3	376.2	380.2	384.1	388.1	392.1
TRIM AFT 0.600 m	380.7	384.6	388.6	392.5	396.5	400.5
26 KMT [m]						
TRIM AFT -0.400 m	5.731	5.734	5.736	5.737	5.737	5.733
TRIM AFT -0.200 m	5.876	5.876	5.878	5.880	5.881	5.875
TRIM AFT 0.000 m	6.022	6.019	6.015	6.004	5.994	5.985
TRIM AFT 0.200 m	6.098	6.078	6.054	6.025	5.997	5.969
TRIM AFT 0.400 m	6.011	5.982	5.954	5.927	5.900	5.874
TRIM AFT 0.600 m	5.911	5.884	5.857	5.832	5.807	5.782
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-0.661	-0.704	-0.747	-0.791	-0.833	-0.876
TRIM AFT -0.200 m	-1.538	-1.580	-1.621	-1.662	-1.702	-1.742
TRIM AFT 0.000 m	-2.435	-2.474	-2.511	-2.549	-2.586	-2.622
TRIM AFT 0.200 m	-3.336	-3.369	-3.401	-3.432	-3.463	-3.493
TRIM AFT 0.400 m	-4.210	-4.235	-4.259	-4.282	-4.305	-4.327

TRIM AFT 0.600 m	-5.041	-5.058	-5.075	-5.091	-5.106	-5.121
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.048	2.058	2.068	2.078	2.088	2.098
2 DRAUGHT RFP(m)	2.040	2.050	2.060	2.070	2.080	2.090
3 DISPL TOTAL SW(t)	380.0	384.0	388.0	392.0	396.1	400.1
4 DISPL TOTAL FW(t)	370.7	374.6	378.5	382.5	386.4	390.3
5 DISPL MLD(m^3)	367.6	371.5	375.4	379.3	383.2	387.2
6 LCF FWD RFP(m)	-5.966	-5.975	-5.973	-5.972	-5.971	-5.970
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-2.657	-2.693	-2.727	-2.761	-2.794	-2.827
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.398	1.405	1.411	1.418	1.425	1.432
11 KMT(m)	5.976	5.967	5.948	5.928	5.910	5.893
12 KML(m)	252.8	251.5	250.0	248.5	247.0	245.5
13 IT(m^4)	1683	1695	1703	1711	1719	1727
14 IL/1000(m^4)	92.4	92.9	93.3	93.7	94.1	94.5
15 MCT SW(t*m/cm)	15.28	15.36	15.43	15.49	15.56	15.63
16 TPM SW(t/cm)	3.997	4.008	4.016	4.024	4.032	4.040
17 WPA(m^2)	389.9	391.0	391.8	392.6	393.4	394.2
18 WETSURF(m^2)	520.1	521.9	523.6	525.2	526.8	528.5
19 CB	0.3229	0.3247	0.3266	0.3284	0.3302	0.3320
20 CP	0.6283	0.6297	0.6311	0.6325	0.6339	0.6353
21 CM	0.5140	0.5157	0.5175	0.5192	0.5209	0.5226
22 CW	0.6988	0.7007	0.7022	0.7036	0.7050	0.7064
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	366.0	369.9	373.8	377.7	381.7	385.6
TRIM AFT -0.200 m	372.6	376.5	380.5	384.5	388.5	392.5
TRIM AFT 0.000 m	380.0	384.0	388.0	392.0	396.1	400.1
TRIM AFT 0.200 m	387.9	391.9	395.9	400.0	404.0	408.0
TRIM AFT 0.400 m	396.1	400.1	404.1	408.1	412.1	416.1
TRIM AFT 0.600 m	404.4	408.4	412.4	416.4	420.4	424.4
26 KMT [m]						
TRIM AFT -0.400 m	5.730	5.728	5.726	5.726	5.727	5.727
TRIM AFT -0.200 m	5.870	5.865	5.861	5.858	5.853	5.843
TRIM AFT 0.000 m	5.976	5.967	5.948	5.928	5.910	5.893
TRIM AFT 0.200 m	5.942	5.916	5.890	5.865	5.841	5.816
TRIM AFT 0.400 m	5.849	5.824	5.800	5.776	5.753	5.731
TRIM AFT 0.600 m	5.759	5.735	5.713	5.691	5.669	5.648
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-0.918	-0.960	-1.001	-1.043	-1.084	-1.124
TRIM AFT -0.200 m	-1.782	-1.821	-1.860	-1.899	-1.937	-1.975
TRIM AFT 0.000 m	-2.657	-2.693	-2.727	-2.761	-2.794	-2.827
TRIM AFT 0.200 m	-3.522	-3.550	-3.577	-3.604	-3.630	-3.655
TRIM AFT 0.400 m	-4.348	-4.369	-4.389	-4.409	-4.428	-4.446

TRIM AFT 0.600 m	-5.136	-5.150	-5.164	-5.177	-5.190	-5.202
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.108	2.118	2.128	2.138	2.148	2.158
2 DRAUGHT RFP(m)	2.100	2.110	2.120	2.130	2.140	2.150
3 DISPL TOTAL SW(t)	404.1	408.2	412.3	416.3	420.4	424.5
4 DISPL TOTAL FW(t)	394.3	398.2	402.2	406.2	410.1	414.1
5 DISPL MLD(m^3)	391.1	395.1	399.0	403.0	406.9	410.9
6 LCF FWD RFP(m)	-5.962	-5.945	-5.927	-5.910	-5.892	-5.875
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-2.859	-2.890	-2.921	-2.951	-2.980	-3.008
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.438	1.445	1.452	1.458	1.465	1.471
11 KMT(m)	5.871	5.845	5.820	5.795	5.771	5.747
12 KML(m)	243.9	242.1	240.3	238.5	236.8	235.1
13 IT(m^4)	1734	1738	1743	1748	1752	1757
14 IL/1000(m^4)	94.8	95.1	95.3	95.5	95.8	96.0
15 MCT SW(t*m/cm)	15.68	15.72	15.76	15.79	15.83	15.87
16 TPM SW(t/cm)	4.047	4.053	4.058	4.063	4.069	4.074
17 WPA(m^2)	394.8	395.4	395.9	396.4	396.9	397.5
18 WETSURF(m^2)	530.0	531.4	532.8	534.2	535.6	537.0
19 CB	0.3338	0.3355	0.3373	0.3390	0.3408	0.3425
20 CP	0.6367	0.6380	0.6393	0.6407	0.6420	0.6433
21 CM	0.5243	0.5259	0.5276	0.5292	0.5308	0.5325
22 CW	0.7076	0.7086	0.7095	0.7104	0.7114	0.7123
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	389.6	393.6	397.6	401.6	405.6	409.6
TRIM AFT -0.200 m	396.5	400.6	404.6	408.7	412.7	416.8
TRIM AFT 0.000 m	404.1	408.2	412.3	416.3	420.4	424.5
TRIM AFT 0.200 m	412.1	416.1	420.1	424.2	428.3	432.3
TRIM AFT 0.400 m	420.1	424.2	428.2	432.2	436.3	440.3
TRIM AFT 0.600 m	428.4	432.4	436.4	440.5	444.5	448.5
26 KMT [m]						
TRIM AFT -0.400 m	5.722	5.717	5.714	5.711	5.709	5.707
TRIM AFT -0.200 m	5.833	5.824	5.815	5.808	5.799	5.783
TRIM AFT 0.000 m	5.871	5.845	5.820	5.795	5.771	5.747
TRIM AFT 0.200 m	5.790	5.766	5.742	5.718	5.695	5.673
TRIM AFT 0.400 m	5.709	5.688	5.666	5.644	5.622	5.601
TRIM AFT 0.600 m	5.627	5.607	5.588	5.568	5.550	5.530
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-1.165	-1.205	-1.244	-1.283	-1.322	-1.361
TRIM AFT -0.200 m	-2.012	-2.048	-2.085	-2.120	-2.156	-2.190
TRIM AFT 0.000 m	-2.859	-2.890	-2.921	-2.951	-2.980	-3.008
TRIM AFT 0.200 m	-3.680	-3.704	-3.727	-3.750	-3.772	-3.794
TRIM AFT 0.400 m	-4.464	-4.482	-4.499	-4.515	-4.531	-4.547

TRIM AFT 0.600 m	-5.214	-5.226	-5.237	-5.248	-5.258	-5.268
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.168	2.178	2.188	2.198	2.208	2.218
2 DRAUGHT RFP(m)	2.160	2.170	2.180	2.190	2.200	2.210
3 DISPL TOTAL SW(t)	428.6	432.6	436.7	440.8	444.9	449.0
4 DISPL TOTAL FW(t)	418.1	422.1	426.1	430.1	434.1	438.1
5 DISPL MLD(m^3)	414.9	418.8	422.8	426.8	430.8	434.8
6 LCF FWD RFP(m)	-5.857	-5.840	-5.822	-5.805	-5.788	-5.771
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-3.036	-3.063	-3.089	-3.115	-3.140	-3.165
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.478	1.484	1.491	1.497	1.504	1.510
11 KMT(m)	5.724	5.701	5.679	5.657	5.636	5.615
12 KML(m)	233.4	231.7	230.1	228.5	227.0	225.4
13 IT(m^4)	1761	1766	1771	1775	1780	1785
14 IL/1000(m^4)	96.2	96.4	96.7	96.9	97.1	97.4
15 MCT SW(t*m/cm)	15.91	15.94	15.98	16.02	16.06	16.10
16 TPM SW(t/cm)	4.079	4.085	4.090	4.095	4.101	4.106
17 WPA(m^2)	398.0	398.5	399.0	399.5	400.1	400.6
18 WETSURF(m^2)	538.4	539.7	541.1	542.5	543.9	545.3
19 CB	0.3442	0.3459	0.3476	0.3493	0.3509	0.3526
20 CP	0.6445	0.6458	0.6470	0.6483	0.6495	0.6507
21 CM	0.5341	0.5356	0.5372	0.5388	0.5403	0.5419
22 CW	0.7132	0.7142	0.7151	0.7160	0.7170	0.7179
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	413.7	417.8	421.8	425.9	430.0	434.1
TRIM AFT -0.200 m	420.9	425.0	429.1	433.2	437.3	441.4
TRIM AFT 0.000 m	428.6	432.6	436.7	440.8	444.9	449.0
TRIM AFT 0.200 m	436.4	440.5	444.5	448.6	452.7	456.8
TRIM AFT 0.400 m	444.4	448.5	452.5	456.6	460.7	464.8
TRIM AFT 0.600 m	452.6	456.6	460.7	464.7	468.8	472.9
26 KMT [m]						
TRIM AFT -0.400 m	5.704	5.694	5.685	5.677	5.669	5.663
TRIM AFT -0.200 m	5.767	5.751	5.737	5.723	5.704	5.682
TRIM AFT 0.000 m	5.724	5.701	5.679	5.657	5.636	5.615
TRIM AFT 0.200 m	5.651	5.629	5.608	5.588	5.568	5.548
TRIM AFT 0.400 m	5.580	5.560	5.540	5.520	5.501	5.483
TRIM AFT 0.600 m	5.511	5.492	5.473	5.454	5.436	5.419
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-1.399	-1.437	-1.474	-1.511	-1.547	-1.584
TRIM AFT -0.200 m	-2.224	-2.258	-2.291	-2.323	-2.355	-2.386
TRIM AFT 0.000 m	-3.036	-3.063	-3.089	-3.115	-3.140	-3.165
TRIM AFT 0.200 m	-3.815	-3.836	-3.856	-3.876	-3.895	-3.913
TRIM AFT 0.400 m	-4.562	-4.577	-4.591	-4.605	-4.619	-4.632

TRIM AFT 0.600 m	-5.278	-5.287	-5.296	-5.305	-5.314	-5.322
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.228	2.238	2.248	2.258	2.268	2.278
2 DRAUGHT RFP(m)	2.220	2.230	2.240	2.250	2.260	2.270
3 DISPL TOTAL SW(t)	453.2	457.3	461.4	465.5	469.7	473.8
4 DISPL TOTAL FW(t)	442.1	446.1	450.1	454.2	458.2	462.2
5 DISPL MLD(m^3)	438.8	442.8	446.8	450.9	454.9	458.9
6 LCF FWD RFP(m)	-5.753	-5.737	-5.722	-5.707	-5.691	-5.676
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-3.189	-3.213	-3.236	-3.258	-3.280	-3.301
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.517	1.523	1.530	1.536	1.542	1.549
11 KMT(m)	5.595	5.575	5.555	5.535	5.515	5.496
12 KML(m)	223.9	222.4	220.9	219.4	218.0	216.5
13 IT(m^4)	1790	1794	1799	1803	1807	1812
14 IL/1000(m^4)	97.6	97.8	98.0	98.2	98.4	98.7
15 MCT SW(t*m/cm)	16.13	16.17	16.20	16.24	16.28	16.31
16 TPM SW(t/cm)	4.111	4.116	4.121	4.126	4.131	4.136
17 WPA(m^2)	401.1	401.6	402.1	402.6	403.0	403.5
18 WETSURF(m^2)	546.7	548.1	549.5	550.8	552.2	553.6
19 CB	0.3542	0.3559	0.3575	0.3591	0.3607	0.3623
20 CP	0.6519	0.6531	0.6542	0.6554	0.6565	0.6577
21 CM	0.5434	0.5449	0.5464	0.5479	0.5494	0.5509
22 CW	0.7188	0.7197	0.7206	0.7214	0.7223	0.7231
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	438.2	442.3	446.5	450.6	454.7	458.9
TRIM AFT -0.200 m	445.6	449.7	453.8	458.0	462.1	466.3
TRIM AFT 0.000 m	453.2	457.3	461.4	465.5	469.7	473.8
TRIM AFT 0.200 m	460.9	465.0	469.1	473.2	477.4	481.5
TRIM AFT 0.400 m	468.8	472.9	477.0	481.1	485.2	489.4
TRIM AFT 0.600 m	476.9	481.0	485.1	489.2	493.3	497.4
26 KMT [m]						
TRIM AFT -0.400 m	5.656	5.649	5.634	5.620	5.607	5.594
TRIM AFT -0.200 m	5.660	5.638	5.617	5.596	5.575	5.555
TRIM AFT 0.000 m	5.595	5.575	5.555	5.535	5.515	5.496
TRIM AFT 0.200 m	5.529	5.510	5.492	5.474	5.456	5.439
TRIM AFT 0.400 m	5.464	5.447	5.429	5.412	5.396	5.379
TRIM AFT 0.600 m	5.402	5.385	5.368	5.352	5.337	5.321
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-1.619	-1.654	-1.689	-1.723	-1.757	-1.790
TRIM AFT -0.200 m	-2.417	-2.446	-2.476	-2.504	-2.532	-2.559
TRIM AFT 0.000 m	-3.189	-3.213	-3.236	-3.258	-3.280	-3.301
TRIM AFT 0.200 m	-3.932	-3.949	-3.967	-3.984	-4.000	-4.016
TRIM AFT 0.400 m	-4.645	-4.657	-4.670	-4.681	-4.693	-4.704

TRIM AFT 0.600 m	-5.330	-5.338	-5.345	-5.352	-5.359	-5.366
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.288	2.298	2.308	2.318	2.328	2.338
2 DRAUGHT RFP(m)	2.280	2.290	2.300	2.310	2.320	2.330
3 DISPL TOTAL SW(t)	477.9	482.1	486.2	490.4	494.5	498.7
4 DISPL TOTAL FW(t)	466.3	470.3	474.4	478.4	482.5	486.6
5 DISPL MLD(m^3)	462.9	467.0	471.0	475.1	479.1	483.2
6 LCF FWD RFP(m)	-5.661	-5.646	-5.631	-5.617	-5.602	-5.587
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-3.322	-3.343	-3.363	-3.383	-3.402	-3.421
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.555	1.561	1.568	1.574	1.580	1.586
11 KMT(m)	5.478	5.460	5.442	5.424	5.407	5.391
12 KML(m)	215.1	213.7	212.4	211.0	209.7	208.4
13 IT(m^4)	1816	1820	1825	1829	1834	1838
14 IL/1000(m^4)	98.9	99.1	99.3	99.5	99.7	99.9
15 MCT SW(t*m/cm)	16.35	16.38	16.42	16.45	16.49	16.52
16 TPM SW(t/cm)	4.141	4.146	4.151	4.156	4.160	4.165
17 WPA(m^2)	404.0	404.5	404.9	405.4	405.9	406.4
18 WETSURF(m^2)	554.9	556.3	557.7	559.0	560.4	561.8
19 CB	0.3639	0.3655	0.3670	0.3686	0.3701	0.3716
20 CP	0.6588	0.6599	0.6610	0.6621	0.6632	0.6642
21 CM	0.5523	0.5538	0.5552	0.5567	0.5581	0.5595
22 CW	0.7240	0.7248	0.7257	0.7266	0.7274	0.7283
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	463.0	467.2	471.4	475.6	479.8	483.9
TRIM AFT -0.200 m	470.4	474.6	478.7	482.9	487.1	491.2
TRIM AFT 0.000 m	477.9	482.1	486.2	490.4	494.5	498.7
TRIM AFT 0.200 m	485.6	489.8	493.9	498.0	502.2	506.4
TRIM AFT 0.400 m	493.5	497.6	501.7	505.9	510.0	514.2
TRIM AFT 0.600 m	501.5	505.6	509.7	513.9	518.0	522.1
26 KMT [m]						
TRIM AFT -0.400 m	5.582	5.570	5.554	5.536	5.517	5.499
TRIM AFT -0.200 m	5.536	5.517	5.498	5.480	5.462	5.445
TRIM AFT 0.000 m	5.478	5.460	5.442	5.424	5.407	5.391
TRIM AFT 0.200 m	5.421	5.404	5.387	5.370	5.354	5.338
TRIM AFT 0.400 m	5.363	5.348	5.333	5.317	5.302	5.287
TRIM AFT 0.600 m	5.306	5.291	5.277	5.263	5.249	5.235
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-1.823	-1.855	-1.886	-1.917	-1.947	-1.977
TRIM AFT -0.200 m	-2.586	-2.612	-2.638	-2.663	-2.687	-2.712
TRIM AFT 0.000 m	-3.322	-3.343	-3.363	-3.383	-3.402	-3.421
TRIM AFT 0.200 m	-4.032	-4.047	-4.062	-4.077	-4.091	-4.105
TRIM AFT 0.400 m	-4.715	-4.725	-4.736	-4.746	-4.755	-4.765

TRIM AFT 0.600 m	-5.372	-5.378	-5.384	-5.390	-5.395	-5.401
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1	DRAUGHT EXTREME(m)	2.348	2.358	2.368	2.378	2.388	2.398
2	DRAUGHT RFP(m)	2.340	2.350	2.360	2.370	2.380	2.390
3	DISPL TOTAL SW(t)	502.9	507.1	511.2	515.4	519.6	523.8
4	DISPL TOTAL FW(t)	490.6	494.7	498.8	502.9	506.9	511.0
5	DISPL MLD(m^3)	487.2	491.3	495.4	499.5	503.5	507.6
6	LCF FWD RFP(m)	-5.572	-5.557	-5.542	-5.528	-5.513	-5.498
7	TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8	LCB FWD OF RFP(m)	-3.439	-3.457	-3.474	-3.492	-3.508	-3.525
9	TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10	VCB ABOVE RFP(m)	1.593	1.599	1.605	1.611	1.617	1.624
11	KMT(m)	5.374	5.359	5.343	5.328	5.313	5.298
12	KML(m)	207.1	205.9	204.6	203.4	202.2	201.0
13	IT(m^4)	1843	1847	1852	1856	1861	1865
14	IL/1000(m^4)	100.1	100.4	100.6	100.8	101.0	101.2
15	MCT SW(t*m/cm)	16.56	16.59	16.63	16.66	16.69	16.73
16	TPM SW(t/cm)	4.170	4.175	4.180	4.185	4.190	4.195
17	WPA(m^2)	406.9	407.3	407.8	408.3	408.8	409.2
18	WETSURF(m^2)	563.1	564.5	565.9	567.2	568.6	570.0
19	CB	0.3732	0.3747	0.3762	0.3777	0.3792	0.3806
20	CP	0.6653	0.6663	0.6674	0.6684	0.6694	0.6704
21	CM	0.5609	0.5623	0.5637	0.5650	0.5664	0.5678
22	CW	0.7291	0.7300	0.7308	0.7317	0.7325	0.7334
23	CWF						
24	CBF						
25	DISPL TOTAL SW [t]						
	TRIM AFT -0.400 m	488.1	492.3	496.5	500.7	505.0	509.2
	TRIM AFT -0.200 m	495.4	499.6	503.8	508.0	512.2	516.4
	TRIM AFT 0.000 m	502.9	507.1	511.2	515.4	519.6	523.8
	TRIM AFT 0.200 m	510.5	514.7	518.8	523.0	527.2	531.4
	TRIM AFT 0.400 m	518.3	522.5	526.6	530.8	535.0	539.1
	TRIM AFT 0.600 m	526.3	530.4	534.6	538.7	542.9	547.0
26	KMT [m]						
	TRIM AFT -0.400 m	5.480	5.462	5.445	5.427	5.411	5.394
	TRIM AFT -0.200 m	5.427	5.411	5.394	5.378	5.362	5.346
	TRIM AFT 0.000 m	5.374	5.359	5.343	5.328	5.313	5.298
	TRIM AFT 0.200 m	5.323	5.307	5.293	5.278	5.264	5.250
	TRIM AFT 0.400 m	5.272	5.258	5.244	5.230	5.216	5.203
	TRIM AFT 0.600 m	5.222	5.209	5.195	5.182	5.169	5.157
27	LCB FWD RFP [m]						
	TRIM AFT -0.400 m	-2.006	-2.035	-2.063	-2.090	-2.117	-2.143
	TRIM AFT -0.200 m	-2.735	-2.758	-2.781	-2.803	-2.824	-2.846
	TRIM AFT 0.000 m	-3.439	-3.457	-3.474	-3.492	-3.508	-3.525
	TRIM AFT 0.200 m	-4.118	-4.132	-4.144	-4.157	-4.169	-4.181
	TRIM AFT 0.400 m	-4.774	-4.783	-4.791	-4.800	-4.808	-4.816

TRIM AFT 0.600 m	-5.406	-5.410	-5.415	-5.420	-5.424	-5.428
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.408	2.418	2.428	2.438	2.448	2.458
2 DRAUGHT RFP(m)	2.400	2.410	2.420	2.430	2.440	2.450
3 DISPL TOTAL SW(t)	528.0	532.2	536.4	540.6	544.9	549.1
4 DISPL TOTAL FW(t)	515.1	519.2	523.3	527.5	531.6	535.7
5 DISPL MLD(m^3)	511.7	515.8	519.9	524.0	528.1	532.2
6 LCF FWD RFP(m)	-5.484	-5.469	-5.455	-5.441	-5.427	-5.414
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-3.541	-3.557	-3.572	-3.587	-3.602	-3.616
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.630	1.636	1.642	1.648	1.654	1.660
11 KMT(m)	5.284	5.270	5.256	5.242	5.228	5.215
12 KML(m)	199.8	198.7	197.5	196.4	195.3	194.1
13 IT(m^4)	1870	1874	1879	1883	1887	1892
14 IL/1000(m^4)	101.4	101.6	101.8	102.0	102.2	102.4
15 MCT SW(t*m/cm)	16.76	16.80	16.83	16.87	16.90	16.94
16 TPM SW(t/cm)	4.200	4.204	4.209	4.214	4.219	4.223
17 WPA(m^2)	409.7	410.2	410.7	411.1	411.6	412.0
18 WETSURF(m^2)	571.3	572.7	574.1	575.4	576.8	578.1
19 CB	0.3821	0.3836	0.3850	0.3865	0.3879	0.3893
20 CP	0.6714	0.6724	0.6734	0.6743	0.6753	0.6762
21 CM	0.5691	0.5704	0.5718	0.5731	0.5744	0.5757
22 CW	0.7343	0.7351	0.7359	0.7368	0.7376	0.7384
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	513.4	517.6	521.8	526.1	530.3	534.5
TRIM AFT -0.200 m	520.6	524.8	529.1	533.3	537.5	541.7
TRIM AFT 0.000 m	528.0	532.2	536.4	540.6	544.9	549.1
TRIM AFT 0.200 m	535.6	539.8	544.0	548.2	552.4	556.6
TRIM AFT 0.400 m	543.3	547.5	551.7	555.9	560.1	564.3
TRIM AFT 0.600 m	551.2	555.4	559.5	563.7	567.9	572.1
26 KMT [m]						
TRIM AFT -0.400 m	5.378	5.362	5.347	5.332	5.317	5.302
TRIM AFT -0.200 m	5.331	5.316	5.301	5.286	5.272	5.258
TRIM AFT 0.000 m	5.284	5.270	5.256	5.242	5.228	5.215
TRIM AFT 0.200 m	5.236	5.223	5.210	5.197	5.185	5.172
TRIM AFT 0.400 m	5.190	5.177	5.165	5.152	5.140	5.129
TRIM AFT 0.600 m	5.144	5.132	5.120	5.109	5.097	5.086
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-2.169	-2.195	-2.220	-2.244	-2.268	-2.292
TRIM AFT -0.200 m	-2.866	-2.887	-2.907	-2.926	-2.945	-2.964
TRIM AFT 0.000 m	-3.541	-3.557	-3.572	-3.587	-3.602	-3.616
TRIM AFT 0.200 m	-4.193	-4.205	-4.216	-4.227	-4.237	-4.248
TRIM AFT 0.400 m	-4.823	-4.831	-4.838	-4.845	-4.852	-4.859

TRIM AFT 0.600 m	-5.432	-5.436	-5.439	-5.443	-5.446	-5.449
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.468	2.478	2.488	2.498	2.508	2.518
2 DRAUGHT RFP(m)	2.460	2.470	2.480	2.490	2.500	2.510
3 DISPL TOTAL SW(t)	553.3	557.5	561.8	566.0	570.3	574.5
4 DISPL TOTAL FW(t)	539.8	544.0	548.1	552.2	556.4	560.5
5 DISPL MLD(m^3)	536.3	540.5	544.6	548.7	552.9	557.0
6 LCF FWD RFP(m)	-5.400	-5.386	-5.373	-5.359	-5.346	-5.332
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-3.630	-3.644	-3.658	-3.671	-3.684	-3.697
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.667	1.673	1.679	1.685	1.691	1.697
11 KMT(m)	5.202	5.189	5.177	5.165	5.153	5.141
12 KML(m)	193.1	192.0	190.9	189.9	188.9	187.8
13 IT(m^4)	1896	1901	1905	1910	1914	1919
14 IL/1000(m^4)	102.7	102.9	103.1	103.3	103.5	103.7
15 MCT SW(t*m/cm)	16.97	17.00	17.04	17.07	17.11	17.14
16 TPM SW(t/cm)	4.228	4.233	4.237	4.242	4.247	4.251
17 WPA(m^2)	412.5	412.9	413.4	413.9	414.3	414.8
18 WETSURF(m^2)	579.5	580.8	582.2	583.5	584.9	586.3
19 CB	0.3907	0.3921	0.3935	0.3949	0.3963	0.3977
20 CP	0.6772	0.6781	0.6790	0.6800	0.6809	0.6818
21 CM	0.5770	0.5783	0.5795	0.5808	0.5821	0.5833
22 CW	0.7392	0.7400	0.7409	0.7417	0.7425	0.7433
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	538.8	543.0	547.3	551.6	555.8	560.1
TRIM AFT -0.200 m	546.0	550.2	554.5	558.7	563.0	567.2
TRIM AFT 0.000 m	553.3	557.5	561.8	566.0	570.3	574.5
TRIM AFT 0.200 m	560.8	565.0	569.3	573.5	577.7	582.0
TRIM AFT 0.400 m	568.5	572.7	576.9	581.1	585.4	589.6
TRIM AFT 0.600 m	576.3	580.5	584.7	588.9	593.1	597.4
26 KMT [m]						
TRIM AFT -0.400 m	5.288	5.274	5.261	5.247	5.234	5.221
TRIM AFT -0.200 m	5.245	5.232	5.218	5.206	5.193	5.181
TRIM AFT 0.000 m	5.202	5.189	5.177	5.165	5.153	5.141
TRIM AFT 0.200 m	5.160	5.148	5.136	5.125	5.113	5.102
TRIM AFT 0.400 m	5.117	5.106	5.095	5.085	5.074	5.064
TRIM AFT 0.600 m	5.075	5.065	5.054	5.044	5.034	5.024
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-2.315	-2.338	-2.360	-2.382	-2.403	-2.424
TRIM AFT -0.200 m	-2.982	-3.000	-3.018	-3.036	-3.053	-3.070
TRIM AFT 0.000 m	-3.630	-3.644	-3.658	-3.671	-3.684	-3.697
TRIM AFT 0.200 m	-4.258	-4.268	-4.277	-4.287	-4.296	-4.305
TRIM AFT 0.400 m	-4.865	-4.871	-4.877	-4.883	-4.889	-4.894

TRIM AFT 0.600 m	-5.452	-5.455	-5.458	-5.460	-5.463	-5.465
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.528	2.538	2.548	2.558	2.568	2.578
2 DRAUGHT RFP(m)	2.520	2.530	2.540	2.550	2.560	2.570
3 DISPL TOTAL SW(t)	578.8	583.0	587.3	591.6	595.9	600.1
4 DISPL TOTAL FW(t)	564.7	568.8	573.0	577.2	581.3	585.5
5 DISPL MLD(m^3)	561.1	565.3	569.4	573.6	577.8	581.9
6 LCF FWD RFP(m)	-5.319	-5.305	-5.292	-5.278	-5.265	-5.252
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-3.709	-3.721	-3.733	-3.745	-3.756	-3.767
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.703	1.709	1.715	1.721	1.727	1.733
11 KMT(m)	5.130	5.119	5.108	5.097	5.087	5.076
12 KML(m)	186.8	185.8	184.9	183.9	183.0	182.0
13 IT(m^4)	1923	1928	1932	1937	1941	1946
14 IL/1000(m^4)	103.9	104.1	104.3	104.5	104.7	104.9
15 MCT SW(t*m/cm)	17.17	17.21	17.24	17.28	17.31	17.34
16 TPM SW(t/cm)	4.256	4.261	4.266	4.270	4.275	4.280
17 WPA(m^2)	415.2	415.7	416.2	416.6	417.1	417.5
18 WETSURF(m^2)	587.6	589.0	590.3	591.7	593.0	594.4
19 CB	0.3991	0.4004	0.4018	0.4031	0.4045	0.4058
20 CP	0.6827	0.6836	0.6844	0.6853	0.6862	0.6870
21 CM	0.5846	0.5858	0.5870	0.5882	0.5894	0.5907
22 CW	0.7442	0.7450	0.7458	0.7466	0.7474	0.7483
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	564.4	568.6	572.9	577.2	581.5	585.8
TRIM AFT -0.200 m	571.5	575.8	580.0	584.3	588.6	592.9
TRIM AFT 0.000 m	578.8	583.0	587.3	591.6	595.9	600.1
TRIM AFT 0.200 m	586.2	590.5	594.7	599.0	603.3	607.5
TRIM AFT 0.400 m	593.8	598.1	602.3	606.6	610.8	615.1
TRIM AFT 0.600 m	601.6	605.8	610.1	614.3	618.6	622.8
26 KMT [m]						
TRIM AFT -0.400 m	5.209	5.196	5.184	5.172	5.161	5.150
TRIM AFT -0.200 m	5.169	5.158	5.146	5.135	5.124	5.113
TRIM AFT 0.000 m	5.130	5.119	5.108	5.097	5.087	5.076
TRIM AFT 0.200 m	5.091	5.081	5.070	5.060	5.050	5.040
TRIM AFT 0.400 m	5.053	5.043	5.033	5.023	5.014	5.005
TRIM AFT 0.600 m	5.015	5.005	4.996	4.987	4.979	4.970
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-2.444	-2.465	-2.484	-2.504	-2.523	-2.542
TRIM AFT -0.200 m	-3.086	-3.102	-3.118	-3.133	-3.149	-3.163
TRIM AFT 0.000 m	-3.709	-3.721	-3.733	-3.745	-3.756	-3.767
TRIM AFT 0.200 m	-4.314	-4.322	-4.330	-4.339	-4.347	-4.354
TRIM AFT 0.400 m	-4.900	-4.905	-4.910	-4.915	-4.919	-4.924

TRIM AFT 0.600 m	-5.467	-5.469	-5.471	-5.473	-5.475	-5.476
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.588	2.598	2.608	2.618	2.628	2.638
2 DRAUGHT RFP(m)	2.580	2.590	2.600	2.610	2.620	2.630
3 DISPL TOTAL SW(t)	604.4	608.7	613.0	617.3	621.6	625.9
4 DISPL TOTAL FW(t)	589.7	593.9	598.0	602.2	606.4	610.6
5 DISPL MLD(m^3)	586.1	590.3	594.5	598.6	602.8	607.0
6 LCF FWD RFP(m)	-5.304	-5.291	-5.278	-5.266	-5.253	-5.240
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-3.778	-3.789	-3.799	-3.810	-3.820	-3.830
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.739	1.745	1.751	1.757	1.763	1.769
11 KMT(m)	5.066	5.056	5.047	5.037	5.028	5.019
12 KML(m)	179.4	178.5	177.6	176.7	175.8	174.9
13 IT(m^4)	1950	1955	1959	1964	1968	1973
14 IL/1000(m^4)	104.1	104.3	104.5	104.7	104.9	105.1
15 MCT SW(t*m/cm)	17.21	17.25	17.28	17.31	17.34	17.38
16 TPM SW(t/cm)	4.277	4.281	4.286	4.290	4.295	4.300
17 WPA(m^2)	417.2	417.7	418.1	418.6	419.0	419.5
18 WETSURF(m^2)	595.4	596.8	598.1	599.5	600.9	602.2
19 CB	0.4071	0.4084	0.4097	0.4110	0.4123	0.4136
20 CP	0.6879	0.6887	0.6896	0.6904	0.6912	0.6920
21 CM	0.5918	0.5930	0.5942	0.5954	0.5966	0.5977
22 CW	0.7477	0.7486	0.7494	0.7502	0.7510	0.7518
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	590.1	594.4	598.7	603.1	607.4	611.7
TRIM AFT -0.200 m	597.2	601.5	605.8	610.1	614.4	618.7
TRIM AFT 0.000 m	604.4	608.7	613.0	617.3	621.6	625.9
TRIM AFT 0.200 m	611.8	616.1	620.4	624.7	628.9	633.2
TRIM AFT 0.400 m	619.3	623.6	627.9	632.2	636.5	640.7
TRIM AFT 0.600 m	627.1	631.3	635.6	639.8	644.1	648.4
26 KMT [m]						
TRIM AFT -0.400 m	5.139	5.129	5.119	5.108	5.099	5.089
TRIM AFT -0.200 m	5.102	5.092	5.082	5.072	5.062	5.053
TRIM AFT 0.000 m	5.066	5.056	5.047	5.037	5.028	5.019
TRIM AFT 0.200 m	5.031	5.021	5.012	5.003	4.994	4.986
TRIM AFT 0.400 m	4.995	4.986	4.978	4.969	4.961	4.952
TRIM AFT 0.600 m	4.961	4.952	4.944	4.936	4.928	4.920
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-2.560	-2.578	-2.596	-2.613	-2.630	-2.646
TRIM AFT -0.200 m	-3.178	-3.192	-3.206	-3.220	-3.234	-3.247
TRIM AFT 0.000 m	-3.778	-3.789	-3.799	-3.810	-3.820	-3.830
TRIM AFT 0.200 m	-4.362	-4.369	-4.376	-4.383	-4.390	-4.397
TRIM AFT 0.400 m	-4.928	-4.933	-4.937	-4.941	-4.944	-4.948

TRIM AFT 0.600 m	-5.478	-5.479	-5.480	-5.481	-5.482	-5.483
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.648	2.658	2.668	2.678	2.688	2.698
2 DRAUGHT RFP(m)	2.640	2.650	2.660	2.670	2.680	2.690
3 DISPL TOTAL SW(t)	630.2	634.5	638.8	643.2	647.5	651.8
4 DISPL TOTAL FW(t)	614.8	619.0	623.3	627.5	631.7	635.9
5 DISPL MLD(m^3)	611.2	615.4	619.6	623.8	628.0	632.3
6 LCF FWD RFP(m)	-5.228	-5.215	-5.202	-5.190	-5.177	-5.165
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-3.839	-3.849	-3.858	-3.867	-3.876	-3.885
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.775	1.781	1.787	1.793	1.798	1.804
11 KMT(m)	5.010	5.001	4.993	4.984	4.976	4.968
12 KML(m)	174.1	173.2	172.4	171.6	170.7	169.9
13 IT(m^4)	1977	1982	1986	1991	1996	2000
14 IL/1000(m^4)	105.3	105.5	105.7	105.9	106.1	106.3
15 MCT SW(t*m/cm)	17.41	17.44	17.48	17.51	17.54	17.57
16 TPM SW(t/cm)	4.304	4.309	4.313	4.318	4.323	4.327
17 WPA(m^2)	419.9	420.4	420.8	421.3	421.7	422.2
18 WETSURF(m^2)	603.6	604.9	606.3	607.6	609.0	610.3
19 CB	0.4149	0.4162	0.4175	0.4187	0.4200	0.4212
20 CP	0.6928	0.6936	0.6944	0.6952	0.6960	0.6968
21 CM	0.5989	0.6000	0.6012	0.6023	0.6034	0.6045
22 CW	0.7526	0.7534	0.7542	0.7550	0.7558	0.7566
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	616.0	620.4	624.7	629.1	633.4	637.8
TRIM AFT -0.200 m	623.0	627.4	631.7	636.0	640.4	644.7
TRIM AFT 0.000 m	630.2	634.5	638.8	643.2	647.5	651.8
TRIM AFT 0.200 m	637.5	641.9	646.2	650.5	654.8	659.1
TRIM AFT 0.400 m	645.0	649.3	653.6	657.9	662.2	666.6
TRIM AFT 0.600 m	652.7	657.0	661.3	665.6	669.9	674.2
26 KMT [m]						
TRIM AFT -0.400 m	5.079	5.069	5.060	5.050	5.041	5.032
TRIM AFT -0.200 m	5.044	5.035	5.026	5.018	5.009	5.001
TRIM AFT 0.000 m	5.010	5.001	4.993	4.984	4.976	4.968
TRIM AFT 0.200 m	4.977	4.969	4.961	4.953	4.945	4.937
TRIM AFT 0.400 m	4.944	4.937	4.929	4.921	4.914	4.907
TRIM AFT 0.600 m	4.912	4.905	4.897	4.890	4.883	4.876
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-2.663	-2.679	-2.695	-2.710	-2.725	-2.740
TRIM AFT -0.200 m	-3.260	-3.272	-3.285	-3.297	-3.309	-3.320
TRIM AFT 0.000 m	-3.839	-3.849	-3.858	-3.867	-3.876	-3.885
TRIM AFT 0.200 m	-4.403	-4.409	-4.416	-4.422	-4.427	-4.433
TRIM AFT 0.400 m	-4.952	-4.955	-4.958	-4.962	-4.965	-4.968

TRIM AFT 0.600 m	-5.484	-5.485	-5.486	-5.486	-5.487	-5.487
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.708	2.718	2.728	2.738	2.748	2.758
2 DRAUGHT RFP(m)	2.700	2.710	2.720	2.730	2.740	2.750
3 DISPL TOTAL SW(t)	656.2	660.5	664.9	669.2	673.6	677.9
4 DISPL TOTAL FW(t)	640.2	644.4	648.6	652.9	657.1	661.4
5 DISPL MLD(m^3)	636.5	640.7	645.0	649.2	653.4	657.7
6 LCF FWD RFP(m)	-5.150	-5.134	-5.119	-5.104	-5.088	-5.073
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-3.893	-3.902	-3.910	-3.918	-3.925	-3.933
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.810	1.816	1.822	1.828	1.834	1.840
11 KMT(m)	4.960	4.953	4.946	4.939	4.932	4.925
12 KML(m)	169.2	168.4	167.7	167.0	166.3	165.6
13 IT(m^4)	2005	2010	2015	2020	2024	2029
14 IL/1000(m^4)	106.5	106.8	107.0	107.2	107.4	107.7
15 MCT SW(t*m/cm)	17.61	17.65	17.69	17.73	17.76	17.80
16 TPM SW(t/cm)	4.332	4.337	4.342	4.347	4.352	4.358
17 WPA(m^2)	422.7	423.1	423.6	424.1	424.6	425.1
18 WETSURF(m^2)	611.8	613.3	614.8	616.3	617.8	619.3
19 CB	0.4225	0.4237	0.4249	0.4262	0.4274	0.4286
20 CP	0.6975	0.6983	0.6991	0.6998	0.7006	0.7013
21 CM	0.6057	0.6068	0.6079	0.6090	0.6100	0.6111
22 CW	0.7574	0.7583	0.7592	0.7601	0.7610	0.7619
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	642.1	646.5	650.9	655.2	659.6	664.0
TRIM AFT -0.200 m	649.1	653.4	657.8	662.1	666.5	670.9
TRIM AFT 0.000 m	656.2	660.5	664.9	669.2	673.6	677.9
TRIM AFT 0.200 m	663.5	667.8	672.1	676.5	680.8	685.2
TRIM AFT 0.400 m	670.9	675.2	679.5	683.9	688.2	692.6
TRIM AFT 0.600 m	678.5	682.8	687.1	691.4	695.8	700.1
26 KMT [m]						
TRIM AFT -0.400 m	5.023	5.015	5.007	4.998	4.990	4.985
TRIM AFT -0.200 m	4.993	4.985	4.977	4.969	4.962	4.954
TRIM AFT 0.000 m	4.960	4.953	4.946	4.939	4.932	4.925
TRIM AFT 0.200 m	4.930	4.922	4.915	4.908	4.901	4.895
TRIM AFT 0.400 m	4.900	4.893	4.886	4.879	4.873	4.867
TRIM AFT 0.600 m	4.870	4.863	4.857	4.851	4.844	4.838
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-2.755	-2.769	-2.783	-2.797	-2.811	-2.824
TRIM AFT -0.200 m	-3.332	-3.343	-3.354	-3.365	-3.375	-3.386
TRIM AFT 0.000 m	-3.893	-3.902	-3.910	-3.918	-3.925	-3.933
TRIM AFT 0.200 m	-4.439	-4.444	-4.450	-4.455	-4.460	-4.465
TRIM AFT 0.400 m	-4.970	-4.973	-4.976	-4.978	-4.981	-4.983

TRIM AFT 0.600 m	-5.487	-5.488	-5.488	-5.488	-5.488	-5.488
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1	DRAUGHT EXTREME(m)	2.768	2.778	2.788	2.798	2.808	2.818
2	DRAUGHT RFP(m)	2.760	2.770	2.780	2.790	2.800	2.810
3	DISPL TOTAL SW(t)	682.3	686.7	691.1	695.4	699.8	704.2
4	DISPL TOTAL FW(t)	665.7	669.9	674.2	678.5	682.7	687.0
5	DISPL MLD(m^3)	661.9	666.2	670.5	674.7	679.0	683.3
6	LCF FWD RFP(m)	-5.058	-5.043	-5.032	-5.021	-5.011	-5.000
7	TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8	LCB FWD OF RFP(m)	-3.940	-3.947	-3.954	-3.961	-3.968	-3.974
9	TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10	VCB ABOVE RFP(m)	1.846	1.852	1.857	1.863	1.869	1.875
11	KMT(m)	4.919	4.912	4.905	4.899	4.892	4.886
12	KML(m)	164.9	164.2	163.4	162.7	161.9	161.2
13	IT(m^4)	2034	2039	2044	2048	2053	2057
14	IL/1000(m^4)	107.9	108.1	108.3	108.5	108.7	108.9
15	MCT SW(t*m/cm)	17.84	17.88	17.91	17.94	17.97	18.00
16	TPM SW(t/cm)	4.363	4.368	4.372	4.376	4.381	4.385
17	WPA(m^2)	425.6	426.1	426.5	427.0	427.4	427.8
18	WETSURF(m^2)	620.8	622.2	623.6	624.9	626.3	627.6
19	CB	0.4298	0.4310	0.4322	0.4334	0.4346	0.4358
20	CP	0.7021	0.7028	0.7035	0.7042	0.7050	0.7057
21	CM	0.6122	0.6133	0.6143	0.6154	0.6165	0.6175
22	CW	0.7628	0.7636	0.7644	0.7652	0.7659	0.7667
23	CWF						
24	CBF						
25	DISPL TOTAL SW [t]						
	TRIM AFT -0.400 m	668.4	672.8	677.2	681.6	686.0	690.4
	TRIM AFT -0.200 m	675.3	679.6	684.0	688.4	692.8	697.2
	TRIM AFT 0.000 m	682.3	686.7	691.1	695.4	699.8	704.2
	TRIM AFT 0.200 m	689.5	693.9	698.2	702.6	707.0	711.4
	TRIM AFT 0.400 m	696.9	701.3	705.6	710.0	714.3	718.7
	TRIM AFT 0.600 m	704.4	708.8	713.1	717.5	721.8	726.2
26	KMT [m]						
	TRIM AFT -0.400 m	4.978	4.970	4.963	4.955	4.948	4.941
	TRIM AFT -0.200 m	4.947	4.940	4.933	4.926	4.919	4.912
	TRIM AFT 0.000 m	4.919	4.912	4.905	4.899	4.892	4.886
	TRIM AFT 0.200 m	4.888	4.882	4.876	4.870	4.865	4.859
	TRIM AFT 0.400 m	4.860	4.854	4.848	4.842	4.837	4.831
	TRIM AFT 0.600 m	4.833	4.827	4.821	4.816	4.810	4.805
27	LCB FWD RFP [m]						
	TRIM AFT -0.400 m	-2.837	-2.850	-2.862	-2.874	-2.886	-2.898
	TRIM AFT -0.200 m	-3.396	-3.406	-3.416	-3.425	-3.435	-3.444
	TRIM AFT 0.000 m	-3.940	-3.947	-3.954	-3.961	-3.968	-3.974
	TRIM AFT 0.200 m	-4.470	-4.474	-4.479	-4.483	-4.487	-4.491
	TRIM AFT 0.400 m	-4.985	-4.987	-4.989	-4.991	-4.993	-4.995

TRIM AFT 0.600 m	-5.487	-5.487	-5.487	-5.486	-5.486	-5.485
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.828	2.838	2.848	2.858	2.868	2.878
2 DRAUGHT RFP(m)	2.820	2.830	2.840	2.850	2.860	2.870
3 DISPL TOTAL SW(t)	708.6	713.0	717.4	721.8	726.2	730.6
4 DISPL TOTAL FW(t)	691.3	695.6	699.9	704.2	708.5	712.8
5 DISPL MLD(m^3)	687.5	691.8	696.1	700.4	704.7	709.0
6 LCF FWD RFP(m)	-4.989	-4.978	-4.968	-4.957	-4.946	-4.936
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-3.981	-3.987	-3.993	-3.999	-4.005	-4.010
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.881	1.887	1.893	1.898	1.904	1.910
11 KMT(m)	4.880	4.874	4.868	4.862	4.857	4.851
12 KML(m)	160.5	159.8	159.0	158.3	157.7	157.0
13 IT(m^4)	2062	2067	2071	2076	2081	2085
14 IL/1000(m^4)	109.0	109.2	109.4	109.6	109.8	109.9
15 MCT SW(t*m/cm)	18.03	18.06	18.09	18.12	18.15	18.17
16 TPM SW(t/cm)	4.389	4.394	4.398	4.402	4.407	4.411
17 WPA(m^2)	428.2	428.7	429.1	429.5	429.9	430.4
18 WETSURF(m^2)	629.0	630.3	631.6	633.0	634.3	635.7
19 CB	0.4369	0.4381	0.4393	0.4404	0.4416	0.4427
20 CP	0.7064	0.7071	0.7078	0.7085	0.7092	0.7099
21 CM	0.6185	0.6196	0.6206	0.6216	0.6227	0.6237
22 CW	0.7674	0.7682	0.7690	0.7697	0.7705	0.7713
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	694.8	699.3	703.7	708.1	712.6	717.0
TRIM AFT -0.200 m	701.6	706.0	710.4	714.9	719.3	723.7
TRIM AFT 0.000 m	708.6	713.0	717.4	721.8	726.2	730.6
TRIM AFT 0.200 m	715.8	720.1	724.5	728.9	733.3	737.7
TRIM AFT 0.400 m	723.1	727.5	731.8	736.2	740.6	745.0
TRIM AFT 0.600 m	730.6	734.9	739.3	743.7	748.1	752.5
26 KMT [m]						
TRIM AFT -0.400 m	4.935	4.928	4.922	4.916	4.910	4.904
TRIM AFT -0.200 m	4.906	4.902	4.896	4.890	4.884	4.878
TRIM AFT 0.000 m	4.880	4.874	4.868	4.862	4.857	4.851
TRIM AFT 0.200 m	4.854	4.848	4.843	4.838	4.832	4.827
TRIM AFT 0.400 m	4.826	4.820	4.815	4.811	4.806	4.801
TRIM AFT 0.600 m	4.800	4.795	4.790	4.785	4.780	4.776
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-2.910	-2.921	-2.932	-2.943	-2.954	-2.964
TRIM AFT -0.200 m	-3.453	-3.462	-3.470	-3.478	-3.486	-3.494
TRIM AFT 0.000 m	-3.981	-3.987	-3.993	-3.999	-4.005	-4.010
TRIM AFT 0.200 m	-4.495	-4.499	-4.503	-4.506	-4.510	-4.513
TRIM AFT 0.400 m	-4.996	-4.998	-5.000	-5.001	-5.002	-5.003

TRIM AFT 0.600 m	-5.485	-5.484	-5.483	-5.482	-5.482	-5.481
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.888	2.898	2.908	2.918	2.928	2.938
2 DRAUGHT RFP(m)	2.880	2.890	2.900	2.910	2.920	2.930
3 DISPL TOTAL SW(t)	735.1	739.5	743.9	748.4	752.8	757.3
4 DISPL TOTAL FW(t)	717.1	721.5	725.8	730.1	734.4	738.8
5 DISPL MLD(m^3)	713.3	717.6	721.9	726.3	730.6	734.9
6 LCF FWD RFP(m)	-4.925	-4.914	-4.904	-4.840	-4.830	-4.820
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.016	-4.022	-4.027	-4.032	-4.037	-4.042
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.916	1.922	1.928	1.933	1.939	1.945
11 KMT(m)	4.846	4.841	4.836	4.833	4.828	4.824
12 KML(m)	156.3	155.6	155.0	155.2	154.6	153.9
13 IT(m^4)	2090	2095	2100	2106	2111	2116
14 IL/1000(m^4)	110.1	110.3	110.5	111.3	111.5	111.7
15 MCT SW(t*m/cm)	18.20	18.23	18.26	18.41	18.44	18.46
16 TPM SW(t/cm)	4.416	4.420	4.424	4.437	4.441	4.445
17 WPA(m^2)	430.8	431.2	431.6	432.8	433.3	433.7
18 WETSURF(m^2)	637.0	638.4	639.7	641.8	643.2	644.5
19 CB	0.4439	0.4450	0.4461	0.4473	0.4484	0.4495
20 CP	0.7106	0.7112	0.7119	0.7126	0.7132	0.7139
21 CM	0.6247	0.6257	0.6267	0.6277	0.6287	0.6296
22 CW	0.7720	0.7728	0.7735	0.7757	0.7764	0.7772
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	721.5	725.9	730.4	734.9	739.3	743.8
TRIM AFT -0.200 m	728.2	732.6	737.0	741.5	746.0	750.4
TRIM AFT 0.000 m	735.1	739.5	743.9	748.4	752.8	757.3
TRIM AFT 0.200 m	742.2	746.6	751.0	755.4	759.9	764.3
TRIM AFT 0.400 m	749.4	753.8	758.2	762.7	767.1	771.5
TRIM AFT 0.600 m	756.8	761.2	765.6	770.0	774.5	778.9
26 KMT [m]						
TRIM AFT -0.400 m	4.898	4.893	4.887	4.882	4.877	4.872
TRIM AFT -0.200 m	4.873	4.867	4.862	4.857	4.852	4.847
TRIM AFT 0.000 m	4.846	4.841	4.836	4.833	4.828	4.824
TRIM AFT 0.200 m	4.822	4.817	4.812	4.807	4.803	4.798
TRIM AFT 0.400 m	4.797	4.793	4.788	4.784	4.780	4.776
TRIM AFT 0.600 m	4.771	4.767	4.763	4.759	4.755	4.751
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-2.974	-2.984	-2.993	-3.002	-3.012	-3.021
TRIM AFT -0.200 m	-3.502	-3.510	-3.517	-3.525	-3.532	-3.539
TRIM AFT 0.000 m	-4.016	-4.022	-4.027	-4.032	-4.037	-4.042
TRIM AFT 0.200 m	-4.516	-4.519	-4.523	-4.525	-4.528	-4.531
TRIM AFT 0.400 m	-5.004	-5.005	-5.006	-5.007	-5.008	-5.008

TRIM AFT 0.600 m	-5.480	-5.479	-5.478	-5.477	-5.475	-5.474
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	2.948	2.958	2.968	2.978	2.988	2.998
2 DRAUGHT RFP(m)	2.940	2.950	2.960	2.970	2.980	2.990
3 DISPL TOTAL SW(t)	761.7	766.2	770.6	775.1	779.6	784.0
4 DISPL TOTAL FW(t)	743.1	747.5	751.8	756.2	760.6	764.9
5 DISPL MLD(m^3)	739.3	743.6	747.9	752.3	756.6	761.0
6 LCF FWD RFP(m)	-4.809	-4.799	-4.789	-4.779	-4.769	-4.758
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.046	-4.051	-4.055	-4.059	-4.063	-4.067
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.951	1.957	1.962	1.968	1.974	1.980
11 KMT(m)	4.819	4.815	4.810	4.806	4.802	4.798
12 KML(m)	153.3	152.6	152.0	151.4	150.7	150.1
13 IT(m^4)	2120	2125	2130	2135	2140	2144
14 IL/1000(m^4)	111.9	112.0	112.2	112.4	112.6	112.7
15 MCT SW(t*m/cm)	18.49	18.52	18.55	18.58	18.61	18.64
16 TPM SW(t/cm)	4.450	4.454	4.458	4.463	4.467	4.471
17 WPA(m^2)	434.1	434.5	434.9	435.4	435.8	436.2
18 WETSURF(m^2)	645.9	647.2	648.6	649.9	651.2	652.6
19 CB	0.4506	0.4517	0.4528	0.4539	0.4550	0.4561
20 CP	0.7146	0.7152	0.7159	0.7165	0.7172	0.7178
21 CM	0.6306	0.6316	0.6326	0.6335	0.6345	0.6354
22 CW	0.7780	0.7787	0.7795	0.7802	0.7810	0.7817
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	748.3	752.8	757.3	761.8	766.3	770.8
TRIM AFT -0.200 m	754.9	759.4	763.8	768.3	772.8	777.3
TRIM AFT 0.000 m	761.7	766.2	770.6	775.1	779.6	784.0
TRIM AFT 0.200 m	768.7	773.2	777.6	782.1	786.5	791.0
TRIM AFT 0.400 m	775.9	780.4	784.8	789.3	793.7	798.2
TRIM AFT 0.600 m	783.3	787.7	792.1	796.6	801.0	805.5
26 KMT [m]						
TRIM AFT -0.400 m	4.867	4.862	4.857	4.853	4.848	4.844
TRIM AFT -0.200 m	4.843	4.838	4.834	4.829	4.825	4.821
TRIM AFT 0.000 m	4.819	4.815	4.810	4.806	4.802	4.798
TRIM AFT 0.200 m	4.794	4.790	4.786	4.781	4.778	4.776
TRIM AFT 0.400 m	4.772	4.768	4.764	4.760	4.756	4.752
TRIM AFT 0.600 m	4.748	4.744	4.741	4.738	4.735	4.731
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.029	-3.038	-3.047	-3.055	-3.063	-3.071
TRIM AFT -0.200 m	-3.545	-3.552	-3.558	-3.564	-3.570	-3.576
TRIM AFT 0.000 m	-4.046	-4.051	-4.055	-4.059	-4.063	-4.067
TRIM AFT 0.200 m	-4.534	-4.536	-4.539	-4.541	-4.543	-4.546
TRIM AFT 0.400 m	-5.009	-5.010	-5.010	-5.010	-5.011	-5.011

TRIM AFT 0.600 m	-5.473	-5.471	-5.470	-5.468	-5.467	-5.465
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.008	3.018	3.028	3.038	3.048	3.058
2 DRAUGHT RFP(m)	3.000	3.010	3.020	3.030	3.040	3.050
3 DISPL TOTAL SW(t)	788.5	793.0	797.5	802.0	806.5	811.0
4 DISPL TOTAL FW(t)	769.3	773.7	778.1	782.4	786.8	791.2
5 DISPL MLD(m^3)	765.4	769.7	774.1	778.5	782.9	787.3
6 LCF FWD RFP(m)	-4.748	-4.736	-4.680	-4.668	-4.656	-4.698
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.071	-4.075	-4.079	-4.082	-4.086	-4.089
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	1.986	1.991	1.997	2.003	2.009	2.014
11 KMT(m)	4.794	4.790	4.787	4.783	4.780	4.777
12 KML(m)	149.5	148.9	149.2	148.6	148.1	146.5
13 IT(m^4)	2149	2154	2160	2165	2170	2175
14 IL/1000(m^4)	112.9	113.1	113.9	114.1	114.3	113.8
15 MCT SW(t*m/cm)	18.67	18.70	18.84	18.87	18.90	18.81
16 TPM SW(t/cm)	4.475	4.480	4.491	4.495	4.500	4.498
17 WPA(m^2)	436.6	437.1	438.1	438.6	439.0	438.8
18 WETSURF(m^2)	653.9	655.3	657.2	658.6	660.0	661.3
19 CB	0.4572	0.4583	0.4594	0.4604	0.4615	0.4626
20 CP	0.7185	0.7191	0.7197	0.7203	0.7210	0.7216
21 CM	0.6364	0.6373	0.6383	0.6392	0.6401	0.6411
22 CW	0.7825	0.7833	0.7852	0.7860	0.7868	0.7864
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	775.3	779.8	784.4	788.9	793.4	798.0
TRIM AFT -0.200 m	781.8	786.3	790.8	795.4	799.9	804.4
TRIM AFT 0.000 m	788.5	793.0	797.5	802.0	806.5	811.0
TRIM AFT 0.200 m	795.5	799.9	804.4	808.9	813.4	817.9
TRIM AFT 0.400 m	802.6	807.1	811.5	816.0	820.5	825.0
TRIM AFT 0.600 m	809.9	814.4	818.8	823.3	827.8	832.2
26 KMT [m]						
TRIM AFT -0.400 m	4.840	4.836	4.832	4.828	4.824	4.820
TRIM AFT -0.200 m	4.817	4.813	4.809	4.806	4.802	4.798
TRIM AFT 0.000 m	4.794	4.790	4.787	4.783	4.780	4.777
TRIM AFT 0.200 m	4.772	4.769	4.765	4.762	4.758	4.755
TRIM AFT 0.400 m	4.749	4.745	4.742	4.739	4.736	4.733
TRIM AFT 0.600 m	4.728	4.725	4.722	4.719	4.716	4.713
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.079	-3.086	-3.094	-3.101	-3.108	-3.115
TRIM AFT -0.200 m	-3.582	-3.587	-3.592	-3.598	-3.603	-3.608
TRIM AFT 0.000 m	-4.071	-4.075	-4.079	-4.082	-4.086	-4.089
TRIM AFT 0.200 m	-4.547	-4.549	-4.551	-4.553	-4.554	-4.556
TRIM AFT 0.400 m	-5.011	-5.011	-5.011	-5.011	-5.011	-5.011

TRIM AFT 0.600 m	-5.464	-5.462	-5.460	-5.458	-5.456	-5.455
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.068	3.078	3.088	3.098	3.108	3.118
2 DRAUGHT RFP(m)	3.060	3.070	3.080	3.090	3.100	3.110
3 DISPL TOTAL SW(t)	815.5	820.1	824.6	829.1	833.7	838.2
4 DISPL TOTAL FW(t)	795.7	800.1	804.5	808.9	813.3	817.8
5 DISPL MLD(m^3)	791.7	796.1	800.5	804.9	809.3	813.7
6 LCF FWD RFP(m)	-4.600	-4.588	-4.575	-4.562	-4.542	-4.529
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.092	-4.094	-4.097	-4.100	-4.102	-4.105
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.020	2.026	2.032	2.038	2.043	2.049
11 KMT(m)	4.774	4.771	4.768	4.765	4.762	4.759
12 KML(m)	147.5	147.0	146.5	146.0	145.6	145.1
13 IT(m^4)	2180	2185	2190	2195	2200	2205
14 IL/1000(m^4)	115.2	115.4	115.6	115.8	116.2	116.4
15 MCT SW(t*m/cm)	19.05	19.08	19.12	19.15	19.21	19.24
16 TPM SW(t/cm)	4.514	4.518	4.523	4.528	4.534	4.538
17 WPA(m^2)	440.4	440.8	441.3	441.8	442.3	442.8
18 WETSURF(m^2)	663.1	664.5	665.8	667.2	668.7	670.0
19 CB	0.4637	0.4647	0.4658	0.4668	0.4679	0.4689
20 CP	0.7222	0.7228	0.7235	0.7241	0.7247	0.7253
21 CM	0.6420	0.6429	0.6438	0.6447	0.6456	0.6465
22 CW	0.7892	0.7900	0.7908	0.7917	0.7927	0.7935
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	802.5	807.1	811.6	816.2	820.7	825.3
TRIM AFT -0.200 m	808.9	813.5	818.0	822.6	827.1	831.7
TRIM AFT 0.000 m	815.5	820.1	824.6	829.1	833.7	838.2
TRIM AFT 0.200 m	822.4	826.9	831.4	835.9	840.4	845.0
TRIM AFT 0.400 m	829.4	833.9	838.4	842.9	847.4	852.0
TRIM AFT 0.600 m	836.7	841.2	845.7	850.1	854.6	859.1
26 KMT [m]						
TRIM AFT -0.400 m	4.817	4.813	4.810	4.806	4.803	4.800
TRIM AFT -0.200 m	4.795	4.792	4.789	4.785	4.782	4.779
TRIM AFT 0.000 m	4.774	4.771	4.768	4.765	4.762	4.759
TRIM AFT 0.200 m	4.752	4.749	4.746	4.743	4.741	4.739
TRIM AFT 0.400 m	4.730	4.729	4.726	4.724	4.721	4.718
TRIM AFT 0.600 m	4.710	4.707	4.705	4.702	4.700	4.697
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.122	-3.129	-3.136	-3.142	-3.149	-3.155
TRIM AFT -0.200 m	-3.613	-3.617	-3.622	-3.626	-3.631	-3.635
TRIM AFT 0.000 m	-4.092	-4.094	-4.097	-4.100	-4.102	-4.105
TRIM AFT 0.200 m	-4.557	-4.558	-4.560	-4.561	-4.562	-4.563
TRIM AFT 0.400 m	-5.011	-5.011	-5.010	-5.009	-5.009	-5.008

TRIM AFT 0.600 m	-5.453	-5.451	-5.449	-5.447	-5.445	-5.442
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.128	3.138	3.148	3.158	3.168	3.178
2 DRAUGHT RFP(m)	3.120	3.130	3.140	3.150	3.160	3.170
3 DISPL TOTAL SW(t)	842.8	847.3	851.9	856.4	861.0	865.6
4 DISPL TOTAL FW(t)	822.2	826.6	831.1	835.5	840.0	844.5
5 DISPL MLD(m^3)	818.2	822.6	827.0	831.5	835.9	840.4
6 LCF FWD RFP(m)	-4.516	-4.503	-4.490	-4.477	-4.464	-4.452
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.107	-4.109	-4.111	-4.113	-4.115	-4.117
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.055	2.061	2.066	2.072	2.078	2.084
11 KMT(m)	4.756	4.754	4.751	4.749	4.747	4.744
12 KML(m)	144.6	144.1	143.6	143.1	142.6	142.1
13 IT(m^4)	2210	2215	2220	2226	2231	2236
14 IL/1000(m^4)	116.6	116.8	117.0	117.3	117.5	117.7
15 MCT SW(t*m/cm)	19.28	19.31	19.35	19.38	19.42	19.46
16 TPM SW(t/cm)	4.543	4.548	4.553	4.558	4.563	4.567
17 WPA(m^2)	443.2	443.7	444.2	444.7	445.1	445.6
18 WETSURF(m^2)	671.4	672.8	674.1	675.5	676.9	678.2
19 CB	0.4700	0.4710	0.4720	0.4731	0.4741	0.4751
20 CP	0.7259	0.7265	0.7271	0.7277	0.7283	0.7289
21 CM	0.6474	0.6483	0.6492	0.6501	0.6510	0.6518
22 CW	0.7944	0.7952	0.7960	0.7969	0.7977	0.7986
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	829.9	834.5	839.0	843.6	848.2	852.8
TRIM AFT -0.200 m	836.2	840.8	845.4	849.9	854.5	859.1
TRIM AFT 0.000 m	842.8	847.3	851.9	856.4	861.0	865.6
TRIM AFT 0.200 m	849.5	854.0	858.6	863.1	867.7	872.2
TRIM AFT 0.400 m	856.5	861.0	865.5	870.0	874.6	879.1
TRIM AFT 0.600 m	863.6	868.1	872.7	877.2	881.7	886.2
26 KMT [m]						
TRIM AFT -0.400 m	4.797	4.794	4.791	4.789	4.786	4.783
TRIM AFT -0.200 m	4.777	4.774	4.771	4.769	4.766	4.764
TRIM AFT 0.000 m	4.756	4.754	4.751	4.749	4.747	4.744
TRIM AFT 0.200 m	4.736	4.734	4.731	4.729	4.727	4.725
TRIM AFT 0.400 m	4.716	4.714	4.711	4.709	4.707	4.705
TRIM AFT 0.600 m	4.695	4.693	4.691	4.691	4.689	4.687
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.161	-3.167	-3.173	-3.178	-3.184	-3.189
TRIM AFT -0.200 m	-3.639	-3.643	-3.647	-3.651	-3.655	-3.658
TRIM AFT 0.000 m	-4.107	-4.109	-4.111	-4.113	-4.115	-4.117
TRIM AFT 0.200 m	-4.564	-4.564	-4.565	-4.565	-4.566	-4.566
TRIM AFT 0.400 m	-5.007	-5.006	-5.006	-5.005	-5.004	-5.003

TRIM AFT 0.600 m	-5.440	-5.438	-5.436	-5.434	-5.431	-5.428
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.188	3.198	3.208	3.218	3.228	3.238
2 DRAUGHT RFP(m)	3.180	3.190	3.200	3.210	3.220	3.230
3 DISPL TOTAL SW(t)	870.2	874.7	879.3	883.9	888.5	893.1
4 DISPL TOTAL FW(t)	848.9	853.4	857.9	862.4	866.8	871.3
5 DISPL MLD(m^3)	844.8	849.3	853.8	858.2	862.7	867.2
6 LCF FWD RFP(m)	-4.439	-4.426	-4.413	-4.400	-4.387	-4.375
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.119	-4.121	-4.122	-4.124	-4.125	-4.127
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.090	2.095	2.101	2.107	2.113	2.118
11 KMT(m)	4.742	4.740	4.738	4.736	4.734	4.733
12 KML(m)	141.6	141.2	140.7	140.2	139.8	139.3
13 IT(m^4)	2241	2246	2251	2257	2262	2267
14 IL/1000(m^4)	117.9	118.1	118.3	118.6	118.8	119.0
15 MCT SW(t*m/cm)	19.49	19.53	19.56	19.60	19.64	19.67
16 TPM SW(t/cm)	4.572	4.577	4.582	4.587	4.591	4.596
17 WPA(m^2)	446.1	446.5	447.0	447.5	447.9	448.4
18 WETSURF(m^2)	679.6	681.0	682.4	683.7	685.1	686.5
19 CB	0.4761	0.4771	0.4781	0.4792	0.4802	0.4812
20 CP	0.7295	0.7300	0.7306	0.7312	0.7318	0.7323
21 CM	0.6527	0.6536	0.6544	0.6553	0.6562	0.6570
22 CW	0.7994	0.8002	0.8011	0.8019	0.8028	0.8036
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	857.4	862.0	866.6	871.2	875.9	880.5
TRIM AFT -0.200 m	863.7	868.3	872.9	877.5	882.1	886.7
TRIM AFT 0.000 m	870.2	874.7	879.3	883.9	888.5	893.1
TRIM AFT 0.200 m	876.8	881.4	885.9	890.5	895.1	899.7
TRIM AFT 0.400 m	883.7	888.2	892.8	897.3	901.9	906.5
TRIM AFT 0.600 m	890.8	895.3	899.8	904.4	908.9	913.5
26 KMT [m]						
TRIM AFT -0.400 m	4.781	4.779	4.776	4.774	4.772	4.770
TRIM AFT -0.200 m	4.761	4.759	4.757	4.755	4.753	4.751
TRIM AFT 0.000 m	4.742	4.740	4.738	4.736	4.734	4.733
TRIM AFT 0.200 m	4.723	4.721	4.719	4.718	4.716	4.714
TRIM AFT 0.400 m	4.704	4.702	4.701	4.699	4.697	4.696
TRIM AFT 0.600 m	4.685	4.684	4.682	4.680	4.679	4.678
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.195	-3.200	-3.205	-3.210	-3.215	-3.219
TRIM AFT -0.200 m	-3.662	-3.665	-3.668	-3.672	-3.675	-3.678
TRIM AFT 0.000 m	-4.119	-4.121	-4.122	-4.124	-4.125	-4.127
TRIM AFT 0.200 m	-4.566	-4.566	-4.566	-4.566	-4.566	-4.566
TRIM AFT 0.400 m	-5.002	-5.001	-4.999	-4.998	-4.997	-4.995

TRIM AFT 0.600 m	-5.426	-5.423	-5.421	-5.418	-5.415	-5.412
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1	DRAUGHT EXTREME(m)	3.248	3.258	3.268	3.278	3.288	3.298
2	DRAUGHT RFP(m)	3.240	3.250	3.260	3.270	3.280	3.290
3	DISPL TOTAL SW(t)	897.7	902.3	906.9	911.6	916.2	920.8
4	DISPL TOTAL FW(t)	875.8	880.3	884.8	889.3	893.8	898.4
5	DISPL MLD(m^3)	871.7	876.2	880.7	885.2	889.7	894.2
6	LCF FWD RFP(m)	-4.362	-4.349	-4.336	-4.324	-4.311	-4.298
7	TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8	LCB FWD OF RFP(m)	-4.128	-4.129	-4.130	-4.131	-4.132	-4.133
9	TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10	VCB ABOVE RFP(m)	2.124	2.130	2.136	2.141	2.147	2.153
11	KMT(m)	4.731	4.729	4.728	4.726	4.725	4.723
12	KML(m)	138.9	138.4	138.0	137.5	137.1	136.7
13	IT(m^4)	2272	2278	2283	2288	2293	2299
14	IL/1000(m^4)	119.2	119.4	119.6	119.9	120.1	120.3
15	MCT SW(t*m/cm)	19.71	19.74	19.78	19.81	19.85	19.89
16	TPM SW(t/cm)	4.601	4.606	4.611	4.616	4.620	4.625
17	WPA(m^2)	448.9	449.4	449.8	450.3	450.8	451.2
18	WETSURF(m^2)	687.8	689.2	690.6	691.9	693.3	694.7
19	CB	0.4822	0.4831	0.4841	0.4851	0.4861	0.4871
20	CP	0.7329	0.7335	0.7340	0.7346	0.7352	0.7357
21	CM	0.6579	0.6587	0.6595	0.6604	0.6612	0.6620
22	CW	0.8045	0.8053	0.8061	0.8070	0.8078	0.8087
23	CWF						
24	CBF						
25	DISPL TOTAL SW [t]						
	TRIM AFT -0.400 m	885.1	889.8	894.4	899.0	903.7	908.3
	TRIM AFT -0.200 m	891.3	895.9	900.6	905.2	909.8	914.5
	TRIM AFT 0.000 m	897.7	902.3	906.9	911.6	916.2	920.8
	TRIM AFT 0.200 m	904.3	908.9	913.5	918.1	922.7	927.3
	TRIM AFT 0.400 m	911.1	915.6	920.2	924.8	929.4	934.0
	TRIM AFT 0.600 m	918.1	922.6	927.2	931.8	936.4	940.9
26	KMT [m]						
	TRIM AFT -0.400 m	4.768	4.766	4.764	4.762	4.761	4.759
	TRIM AFT -0.200 m	4.749	4.747	4.746	4.744	4.743	4.741
	TRIM AFT 0.000 m	4.731	4.729	4.728	4.726	4.725	4.723
	TRIM AFT 0.200 m	4.713	4.711	4.710	4.708	4.707	4.706
	TRIM AFT 0.400 m	4.695	4.693	4.692	4.691	4.690	4.689
	TRIM AFT 0.600 m	4.676	4.675	4.674	4.673	4.672	4.672
27	LCB FWD RFP [m]						
	TRIM AFT -0.400 m	-3.224	-3.229	-3.233	-3.237	-3.241	-3.246
	TRIM AFT -0.200 m	-3.681	-3.683	-3.686	-3.689	-3.691	-3.694
	TRIM AFT 0.000 m	-4.128	-4.129	-4.130	-4.131	-4.132	-4.133
	TRIM AFT 0.200 m	-4.565	-4.565	-4.565	-4.564	-4.564	-4.563
	TRIM AFT 0.400 m	-4.993	-4.992	-4.990	-4.988	-4.986	-4.984

TRIM AFT 0.600 m	-5.410	-5.407	-5.404	-5.401	-5.398	-5.395
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.308	3.318	3.328	3.338	3.348	3.358
2 DRAUGHT RFP(m)	3.300	3.310	3.320	3.330	3.340	3.350
3 DISPL TOTAL SW(t)	925.5	930.1	934.7	939.4	944.0	948.7
4 DISPL TOTAL FW(t)	902.9	907.4	911.9	916.5	921.0	925.6
5 DISPL MLD(m^3)	898.7	903.2	907.7	912.3	916.8	921.3
6 LCF FWD RFP(m)	-4.286	-4.273	-4.260	-4.248	-4.235	-4.222
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.134	-4.135	-4.135	-4.136	-4.137	-4.137
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.158	2.164	2.170	2.176	2.181	2.187
11 KMT(m)	4.722	4.721	4.720	4.719	4.718	4.717
12 KML(m)	136.2	135.8	135.4	135.0	134.6	134.2
13 IT(m^4)	2304	2309	2315	2320	2325	2331
14 IL/1000(m^4)	120.5	120.7	120.9	121.2	121.4	121.6
15 MCT SW(t*m/cm)	19.92	19.96	19.99	20.03	20.07	20.10
16 TPM SW(t/cm)	4.630	4.635	4.640	4.645	4.649	4.654
17 WPA(m^2)	451.7	452.2	452.7	453.1	453.6	454.1
18 WETSURF(m^2)	696.1	697.4	698.8	700.2	701.5	702.9
19 CB	0.4881	0.4890	0.4900	0.4910	0.4919	0.4929
20 CP	0.7363	0.7368	0.7374	0.7379	0.7385	0.7390
21 CM	0.6629	0.6637	0.6645	0.6653	0.6661	0.6670
22 CW	0.8095	0.8104	0.8112	0.8121	0.8129	0.8138
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	913.0	917.7	922.3	927.0	931.7	936.4
TRIM AFT -0.200 m	919.1	923.8	928.4	933.1	937.8	942.4
TRIM AFT 0.000 m	925.5	930.1	934.7	939.4	944.0	948.7
TRIM AFT 0.200 m	932.0	936.6	941.2	945.9	950.5	955.1
TRIM AFT 0.400 m	938.6	943.3	947.9	952.5	957.1	961.8
TRIM AFT 0.600 m	945.5	950.1	954.7	959.3	964.0	968.6
26 KMT [m]						
TRIM AFT -0.400 m	4.758	4.756	4.755	4.754	4.753	4.751
TRIM AFT -0.200 m	4.740	4.739	4.737	4.736	4.735	4.734
TRIM AFT 0.000 m	4.722	4.721	4.720	4.719	4.718	4.717
TRIM AFT 0.200 m	4.705	4.704	4.703	4.702	4.701	4.700
TRIM AFT 0.400 m	4.688	4.687	4.686	4.685	4.684	4.684
TRIM AFT 0.600 m	4.671	4.670	4.669	4.668	4.668	4.667
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.250	-3.253	-3.257	-3.261	-3.265	-3.268
TRIM AFT -0.200 m	-3.696	-3.699	-3.701	-3.703	-3.705	-3.707
TRIM AFT 0.000 m	-4.134	-4.135	-4.135	-4.136	-4.137	-4.137
TRIM AFT 0.200 m	-4.563	-4.562	-4.561	-4.560	-4.560	-4.559
TRIM AFT 0.400 m	-4.982	-4.980	-4.978	-4.976	-4.974	-4.971

TRIM AFT 0.600 m	-5.392	-5.389	-5.386	-5.382	-5.379	-5.375
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.368	3.378	3.388	3.398	3.408	3.418
2 DRAUGHT RFP(m)	3.360	3.370	3.380	3.390	3.400	3.410
3 DISPL TOTAL SW(t)	953.4	958.0	962.7	967.4	972.1	976.8
4 DISPL TOTAL FW(t)	930.1	934.7	939.2	943.8	948.4	952.9
5 DISPL MLD(m^3)	925.9	930.4	935.0	939.5	944.1	948.7
6 LCF FWD RFP(m)	-4.210	-4.197	-4.185	-4.172	-4.159	-4.147
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.138	-4.138	-4.138	-4.138	-4.139	-4.139
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.193	2.199	2.204	2.210	2.216	2.222
11 KMT(m)	4.716	4.715	4.715	4.714	4.713	4.713
12 KML(m)	133.8	133.4	133.0	132.6	132.2	131.8
13 IT(m^4)	2336	2342	2347	2353	2358	2364
14 IL/1000(m^4)	121.8	122.0	122.2	122.5	122.7	122.9
15 MCT SW(t*m/cm)	20.14	20.17	20.21	20.25	20.28	20.32
16 TPM SW(t/cm)	4.659	4.664	4.669	4.674	4.679	4.683
17 WPA(m^2)	454.5	455.0	455.5	456.0	456.4	456.9
18 WETSURF(m^2)	704.3	705.7	707.0	708.4	709.8	711.2
19 CB	0.4938	0.4948	0.4957	0.4967	0.4976	0.4986
20 CP	0.7395	0.7401	0.7406	0.7411	0.7417	0.7422
21 CM	0.6678	0.6686	0.6694	0.6702	0.6710	0.6717
22 CW	0.8146	0.8155	0.8163	0.8172	0.8180	0.8189
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	941.1	945.8	950.5	955.2	959.9	964.6
TRIM AFT -0.200 m	947.1	951.8	956.5	961.2	965.9	970.6
TRIM AFT 0.000 m	953.4	958.0	962.7	967.4	972.1	976.8
TRIM AFT 0.200 m	959.8	964.4	969.1	973.8	978.4	983.1
TRIM AFT 0.400 m	966.4	971.1	975.7	980.4	985.0	989.7
TRIM AFT 0.600 m	973.2	977.9	982.5	987.1	991.8	996.4
26 KMT [m]						
TRIM AFT -0.400 m	4.750	4.749	4.748	4.748	4.747	4.746
TRIM AFT -0.200 m	4.733	4.732	4.731	4.731	4.730	4.729
TRIM AFT 0.000 m	4.716	4.715	4.715	4.714	4.713	4.713
TRIM AFT 0.200 m	4.700	4.699	4.698	4.698	4.697	4.697
TRIM AFT 0.400 m	4.683	4.683	4.682	4.682	4.681	4.681
TRIM AFT 0.600 m	4.667	4.667	4.666	4.666	4.666	4.665
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.272	-3.275	-3.278	-3.281	-3.284	-3.287
TRIM AFT -0.200 m	-3.709	-3.711	-3.712	-3.714	-3.716	-3.717
TRIM AFT 0.000 m	-4.138	-4.138	-4.138	-4.138	-4.139	-4.139
TRIM AFT 0.200 m	-4.558	-4.557	-4.556	-4.554	-4.553	-4.552
TRIM AFT 0.400 m	-4.969	-4.967	-4.964	-4.962	-4.960	-4.957

TRIM AFT 0.600 m	-5.372	-5.368	-5.365	-5.361	-5.357	-5.354
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.428	3.438	3.448	3.458	3.468	3.478
2 DRAUGHT RFP(m)	3.420	3.430	3.440	3.450	3.460	3.470
3 DISPL TOTAL SW(t)	981.4	986.1	990.8	995.6	1000.3	1005.0
4 DISPL TOTAL FW(t)	957.5	962.1	966.7	971.3	975.9	980.5
5 DISPL MLD(m^3)	953.2	957.8	962.4	967.0	971.6	976.2
6 LCF FWD RFP(m)	-4.134	-4.122	-4.109	-4.097	-4.084	-4.072
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.139	-4.139	-4.139	-4.139	-4.138	-4.138
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.227	2.233	2.239	2.244	2.250	2.256
11 KMT(m)	4.712	4.712	4.712	4.711	4.711	4.711
12 KML(m)	131.4	131.0	130.6	130.3	129.9	129.5
13 IT(m^4)	2369	2375	2380	2386	2391	2397
14 IL/1000(m^4)	123.1	123.3	123.6	123.8	124.0	124.2
15 MCT SW(t*m/cm)	20.36	20.39	20.43	20.46	20.50	20.54
16 TPM SW(t/cm)	4.688	4.693	4.698	4.703	4.708	4.713
17 WPA(m^2)	457.4	457.9	458.3	458.8	459.3	459.8
18 WETSURF(m^2)	712.5	713.9	715.3	716.7	718.0	719.4
19 CB	0.4995	0.5004	0.5014	0.5023	0.5032	0.5041
20 CP	0.7427	0.7432	0.7438	0.7443	0.7448	0.7453
21 CM	0.6725	0.6733	0.6741	0.6749	0.6756	0.6764
22 CW	0.8197	0.8206	0.8214	0.8223	0.8231	0.8240
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	969.3	974.0	978.7	983.5	988.2	993.0
TRIM AFT -0.200 m	975.3	980.0	984.7	989.4	994.1	998.9
TRIM AFT 0.000 m	981.4	986.1	990.8	995.6	1000.3	1005.0
TRIM AFT 0.200 m	987.8	992.5	997.2	1001.9	1006.6	1011.3
TRIM AFT 0.400 m	994.4	999.0	1003.7	1008.4	1013.1	1017.8
TRIM AFT 0.600 m	1001.1	1005.7	1010.4	1015.1	1019.8	1024.4
26 KMT [m]						
TRIM AFT -0.400 m	4.745	4.745	4.744	4.744	4.744	4.743
TRIM AFT -0.200 m	4.729	4.728	4.728	4.727	4.727	4.727
TRIM AFT 0.000 m	4.712	4.712	4.712	4.711	4.711	4.711
TRIM AFT 0.200 m	4.696	4.696	4.696	4.696	4.696	4.695
TRIM AFT 0.400 m	4.681	4.680	4.680	4.680	4.680	4.680
TRIM AFT 0.600 m	4.665	4.665	4.665	4.665	4.665	4.665
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.290	-3.293	-3.296	-3.298	-3.301	-3.303
TRIM AFT -0.200 m	-3.719	-3.720	-3.721	-3.722	-3.724	-3.725
TRIM AFT 0.000 m	-4.139	-4.139	-4.139	-4.139	-4.138	-4.138
TRIM AFT 0.200 m	-4.551	-4.550	-4.548	-4.547	-4.545	-4.544
TRIM AFT 0.400 m	-4.955	-4.952	-4.949	-4.947	-4.944	-4.941

TRIM AFT 0.600 m	-5.350	-5.346	-5.343	-5.339	-5.335	-5.331
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.488	3.498	3.508	3.518	3.528	3.538
2 DRAUGHT RFP(m)	3.480	3.490	3.500	3.510	3.520	3.530
3 DISPL TOTAL SW(t)	1009.7	1014.4	1019.2	1023.9	1028.6	1033.4
4 DISPL TOTAL FW(t)	985.1	989.7	994.3	998.9	1003.6	1008.2
5 DISPL MLD(m^3)	980.8	985.4	990.0	994.6	999.2	1003.8
6 LCF FWD RFP(m)	-4.059	-4.047	-4.034	-4.022	-4.009	-3.997
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.138	-4.138	-4.137	-4.137	-4.136	-4.136
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.262	2.267	2.273	2.279	2.284	2.290
11 KMT(m)	4.711	4.711	4.711	4.711	4.711	4.711
12 KML(m)	129.1	128.8	128.4	128.1	127.7	127.3
13 IT(m^4)	2402	2408	2413	2419	2425	2430
14 IL/1000(m^4)	124.4	124.7	124.9	125.1	125.3	125.5
15 MCT SW(t*m/cm)	20.57	20.61	20.64	20.68	20.72	20.75
16 TPM SW(t/cm)	4.718	4.722	4.727	4.732	4.737	4.742
17 WPA(m^2)	460.3	460.7	461.2	461.7	462.2	462.6
18 WETSURF(m^2)	720.8	722.2	723.5	724.9	726.3	727.7
19 CB	0.5051	0.5060	0.5069	0.5078	0.5087	0.5096
20 CP	0.7458	0.7463	0.7468	0.7474	0.7479	0.7484
21 CM	0.6772	0.6780	0.6787	0.6795	0.6802	0.6810
22 CW	0.8248	0.8257	0.8265	0.8274	0.8282	0.8291
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	997.7	1002.5	1007.2	1012.0	1016.8	1021.5
TRIM AFT -0.200 m	1003.6	1008.3	1013.1	1017.8	1022.6	1027.4
TRIM AFT 0.000 m	1009.7	1014.4	1019.2	1023.9	1028.6	1033.4
TRIM AFT 0.200 m	1016.0	1020.7	1025.4	1030.1	1034.9	1039.6
TRIM AFT 0.400 m	1022.5	1027.2	1031.9	1036.6	1041.3	1046.0
TRIM AFT 0.600 m	1029.1	1033.8	1038.5	1043.2	1047.9	1052.6
26 KMT [m]						
TRIM AFT -0.400 m	4.743	4.743	4.743	4.743	4.743	4.744
TRIM AFT -0.200 m	4.727	4.727	4.726	4.726	4.727	4.727
TRIM AFT 0.000 m	4.711	4.711	4.711	4.711	4.711	4.711
TRIM AFT 0.200 m	4.695	4.696	4.696	4.696	4.696	4.696
TRIM AFT 0.400 m	4.680	4.680	4.681	4.681	4.681	4.681
TRIM AFT 0.600 m	4.665	4.665	4.666	4.666	4.666	4.667
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.305	-3.308	-3.310	-3.312	-3.314	-3.315
TRIM AFT -0.200 m	-3.726	-3.727	-3.728	-3.728	-3.729	-3.730
TRIM AFT 0.000 m	-4.138	-4.138	-4.137	-4.137	-4.136	-4.136
TRIM AFT 0.200 m	-4.542	-4.541	-4.539	-4.537	-4.536	-4.534
TRIM AFT 0.400 m	-4.939	-4.936	-4.933	-4.930	-4.927	-4.924

TRIM AFT 0.600 m	-5.327	-5.323	-5.319	-5.315	-5.311	-5.307
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.548	3.558	3.568	3.578	3.588	3.598
2 DRAUGHT RFP(m)	3.540	3.550	3.560	3.570	3.580	3.590
3 DISPL TOTAL SW(t)	1038.1	1042.9	1047.7	1052.4	1057.2	1062.0
4 DISPL TOTAL FW(t)	1012.8	1017.5	1022.1	1026.8	1031.4	1036.1
5 DISPL MLD(m^3)	1008.4	1013.1	1017.7	1022.4	1027.0	1031.7
6 LCF FWD RFP(m)	-3.984	-3.971	-3.958	-3.945	-3.933	-3.920
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.135	-4.134	-4.134	-4.133	-4.132	-4.131
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.296	2.302	2.307	2.313	2.319	2.324
11 KMT(m)	4.711	4.712	4.712	4.712	4.713	4.713
12 KML(m)	127.0	126.7	126.3	126.0	125.6	125.3
13 IT(m^4)	2436	2442	2447	2453	2459	2464
14 IL/1000(m^4)	125.8	126.0	126.2	126.4	126.7	126.9
15 MCT SW(t*m/cm)	20.79	20.83	20.87	20.90	20.94	20.98
16 TPM SW(t/cm)	4.747	4.752	4.757	4.762	4.767	4.772
17 WPA(m^2)	463.1	463.6	464.1	464.6	465.1	465.5
18 WETSURF(m^2)	729.1	730.4	731.8	733.2	734.6	736.0
19 CB	0.5105	0.5114	0.5123	0.5132	0.5141	0.5150
20 CP	0.7489	0.7494	0.7499	0.7503	0.7508	0.7513
21 CM	0.6817	0.6825	0.6832	0.6840	0.6847	0.6854
22 CW	0.8300	0.8308	0.8317	0.8326	0.8334	0.8343
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	1026.3	1031.1	1035.9	1040.7	1045.5	1050.3
TRIM AFT -0.200 m	1032.1	1036.9	1041.7	1046.5	1051.2	1056.0
TRIM AFT 0.000 m	1038.1	1042.9	1047.7	1052.4	1057.2	1062.0
TRIM AFT 0.200 m	1044.4	1049.1	1053.8	1058.6	1063.4	1068.1
TRIM AFT 0.400 m	1050.8	1055.5	1060.2	1065.0	1069.7	1074.5
TRIM AFT 0.600 m	1057.3	1062.1	1066.8	1071.5	1076.2	1081.0
26 KMT [m]						
TRIM AFT -0.400 m	4.744	4.744	4.744	4.745	4.745	4.745
TRIM AFT -0.200 m	4.727	4.727	4.728	4.728	4.729	4.729
TRIM AFT 0.000 m	4.711	4.712	4.712	4.712	4.713	4.713
TRIM AFT 0.200 m	4.696	4.697	4.697	4.698	4.698	4.699
TRIM AFT 0.400 m	4.682	4.682	4.683	4.683	4.684	4.684
TRIM AFT 0.600 m	4.667	4.668	4.668	4.669	4.669	4.670
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.317	-3.319	-3.321	-3.322	-3.323	-3.325
TRIM AFT -0.200 m	-3.730	-3.731	-3.731	-3.732	-3.732	-3.732
TRIM AFT 0.000 m	-4.135	-4.134	-4.134	-4.133	-4.132	-4.131
TRIM AFT 0.200 m	-4.532	-4.530	-4.528	-4.526	-4.524	-4.522
TRIM AFT 0.400 m	-4.922	-4.919	-4.916	-4.913	-4.909	-4.906

TRIM AFT 0.600 m	-5.303	-5.299	-5.295	-5.291	-5.287	-5.283
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.608	3.618	3.628	3.638	3.648	3.658
2 DRAUGHT RFP(m)	3.600	3.610	3.620	3.630	3.640	3.650
3 DISPL TOTAL SW(t)	1066.8	1071.5	1076.3	1081.1	1085.9	1090.7
4 DISPL TOTAL FW(t)	1040.7	1045.4	1050.1	1054.8	1059.4	1064.1
5 DISPL MLD(m^3)	1036.3	1041.0	1045.6	1050.3	1055.0	1059.7
6 LCF FWD RFP(m)	-3.907	-3.892	-3.876	-3.860	-3.845	-3.829
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.130	-4.129	-4.128	-4.127	-4.126	-4.125
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.330	2.336	2.342	2.347	2.353	2.359
11 KMT(m)	4.714	4.714	4.715	4.716	4.717	4.718
12 KML(m)	125.0	124.7	124.4	124.1	123.9	123.6
13 IT(m^4)	2470	2476	2482	2488	2494	2500
14 IL/1000(m^4)	127.1	127.4	127.6	127.9	128.2	128.4
15 MCT SW(t*m/cm)	21.01	21.06	21.10	21.15	21.19	21.24
16 TPM SW(t/cm)	4.777	4.782	4.788	4.793	4.798	4.804
17 WPA(m^2)	466.0	466.6	467.1	467.6	468.1	468.7
18 WETSURF(m^2)	737.3	738.8	740.2	741.6	743.0	744.4
19 CB	0.5159	0.5168	0.5177	0.5185	0.5194	0.5203
20 CP	0.7518	0.7523	0.7528	0.7533	0.7538	0.7542
21 CM	0.6862	0.6869	0.6876	0.6884	0.6891	0.6898
22 CW	0.8352	0.8361	0.8371	0.8380	0.8390	0.8399
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	1055.1	1060.0	1064.8	1069.6	1074.5	1079.3
TRIM AFT -0.200 m	1060.8	1065.6	1070.4	1075.3	1080.1	1084.9
TRIM AFT 0.000 m	1066.8	1071.5	1076.3	1081.1	1085.9	1090.7
TRIM AFT 0.200 m	1072.9	1077.7	1082.4	1087.2	1092.0	1096.8
TRIM AFT 0.400 m	1079.2	1084.0	1088.7	1093.5	1098.3	1103.1
TRIM AFT 0.600 m	1085.7	1090.5	1095.2	1100.0	1104.8	1109.5
26 KMT [m]						
TRIM AFT -0.400 m	4.746	4.746	4.747	4.748	4.748	4.749
TRIM AFT -0.200 m	4.730	4.730	4.731	4.732	4.732	4.733
TRIM AFT 0.000 m	4.714	4.714	4.715	4.716	4.717	4.718
TRIM AFT 0.200 m	4.699	4.700	4.700	4.701	4.702	4.703
TRIM AFT 0.400 m	4.685	4.686	4.686	4.687	4.688	4.689
TRIM AFT 0.600 m	4.671	4.672	4.672	4.673	4.674	4.675
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.326	-3.327	-3.328	-3.329	-3.330	-3.331
TRIM AFT -0.200 m	-3.732	-3.732	-3.732	-3.732	-3.732	-3.732
TRIM AFT 0.000 m	-4.130	-4.129	-4.128	-4.127	-4.126	-4.125
TRIM AFT 0.200 m	-4.520	-4.518	-4.516	-4.514	-4.512	-4.510
TRIM AFT 0.400 m	-4.903	-4.900	-4.897	-4.894	-4.890	-4.887

TRIM AFT 0.600 m	-5.279	-5.275	-5.270	-5.266	-5.262	-5.258
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1	DRAUGHT EXTREME(m)	3.668	3.678	3.688	3.698	3.708	3.718
2	DRAUGHT RFP(m)	3.660	3.670	3.680	3.690	3.700	3.710
3	DISPL TOTAL SW(t)	1095.5	1100.4	1105.2	1110.0	1114.9	1119.7
4	DISPL TOTAL FW(t)	1068.8	1073.5	1078.2	1082.9	1087.7	1092.4
5	DISPL MLD(m^3)	1064.4	1069.0	1073.7	1078.4	1083.2	1087.9
6	LCF FWD RFP(m)	-3.814	-3.798	-3.783	-3.767	-3.752	-3.736
7	TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8	LCB FWD OF RFP(m)	-4.124	-4.122	-4.121	-4.119	-4.118	-4.116
9	TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10	VCB ABOVE RFP(m)	2.364	2.370	2.376	2.382	2.387	2.393
11	KMT(m)	4.719	4.719	4.720	4.722	4.723	4.724
12	KML(m)	123.3	123.0	122.7	122.5	122.2	121.9
13	IT(m^4)	2506	2512	2518	2524	2530	2536
14	IL/1000(m^4)	128.7	129.0	129.2	129.5	129.8	130.1
15	MCT SW(t*m/cm)	21.28	21.32	21.37	21.41	21.46	21.50
16	TPM SW(t/cm)	4.809	4.815	4.820	4.826	4.831	4.836
17	WPA(m^2)	469.2	469.7	470.3	470.8	471.3	471.8
18	WETSURF(m^2)	745.8	747.2	748.6	750.0	751.4	752.8
19	CB	0.5212	0.5220	0.5229	0.5238	0.5246	0.5255
20	CP	0.7547	0.7552	0.7557	0.7562	0.7566	0.7571
21	CM	0.6905	0.6912	0.6920	0.6927	0.6934	0.6941
22	CW	0.8409	0.8418	0.8427	0.8437	0.8446	0.8456
23	CWF						
24	CBF						
25	DISPL TOTAL SW [t]						
	TRIM AFT -0.400 m	1084.1	1089.1	1093.9	1098.8	1103.6	1108.5
	TRIM AFT -0.200 m	1089.7	1094.6	1099.4	1104.3	1109.1	1114.0
	TRIM AFT 0.000 m	1095.5	1100.4	1105.2	1110.0	1114.9	1119.7
	TRIM AFT 0.200 m	1101.6	1106.4	1111.2	1116.0	1120.8	1125.7
	TRIM AFT 0.400 m	1107.8	1112.6	1117.4	1122.2	1127.0	1131.8
	TRIM AFT 0.600 m	1114.3	1119.1	1123.8	1128.6	1133.4	1138.2
26	KMT [m]						
	TRIM AFT -0.400 m	4.750	4.751	4.751	4.752	4.753	4.754
	TRIM AFT -0.200 m	4.734	4.735	4.736	4.737	4.738	4.739
	TRIM AFT 0.000 m	4.719	4.719	4.720	4.722	4.723	4.724
	TRIM AFT 0.200 m	4.704	4.704	4.705	4.707	4.708	4.709
	TRIM AFT 0.400 m	4.690	4.691	4.692	4.693	4.694	4.695
	TRIM AFT 0.600 m	4.676	4.677	4.678	4.679	4.681	4.682
27	LCB FWD RFP [m]						
	TRIM AFT -0.400 m	-3.332	-3.331	-3.332	-3.333	-3.333	-3.334
	TRIM AFT -0.200 m	-3.732	-3.731	-3.731	-3.731	-3.730	-3.729
	TRIM AFT 0.000 m	-4.124	-4.122	-4.121	-4.119	-4.118	-4.116
	TRIM AFT 0.200 m	-4.507	-4.505	-4.503	-4.500	-4.498	-4.495
	TRIM AFT 0.400 m	-4.884	-4.881	-4.877	-4.874	-4.870	-4.867

TRIM AFT 0.600 m	-5.253	-5.249	-5.245	-5.240	-5.236	-5.232
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1	DRAUGHT EXTREME(m)	3.728	3.738	3.748	3.758	3.768	3.778
2	DRAUGHT RFP(m)	3.720	3.730	3.740	3.750	3.760	3.770
3	DISPL TOTAL SW(t)	1124.5	1129.4	1134.2	1139.1	1144.0	1148.9
4	DISPL TOTAL FW(t)	1097.1	1101.8	1106.6	1111.3	1116.1	1120.8
5	DISPL MLD(m^3)	1092.6	1097.3	1102.0	1106.8	1111.5	1116.3
6	LCF FWD RFP(m)	-3.721	-3.706	-3.690	-3.675	-3.660	-3.644
7	TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8	LCB FWD OF RFP(m)	-4.115	-4.113	-4.111	-4.110	-4.108	-4.106
9	TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10	VCB ABOVE RFP(m)	2.399	2.404	2.410	2.416	2.422	2.427
11	KMT(m)	4.725	4.726	4.727	4.729	4.730	4.731
12	KML(m)	121.7	121.4	121.1	120.9	120.6	120.4
13	IT(m^4)	2542	2548	2554	2560	2566	2572
14	IL/1000(m^4)	130.3	130.6	130.9	131.1	131.4	131.7
15	MCT SW(t*m/cm)	21.54	21.59	21.63	21.68	21.72	21.77
16	TPM SW(t/cm)	4.842	4.847	4.853	4.858	4.864	4.869
17	WPA(m^2)	472.4	472.9	473.4	474.0	474.5	475.0
18	WETSURF(m^2)	754.3	755.7	757.1	758.5	759.9	761.3
19	CB	0.5264	0.5272	0.5281	0.5289	0.5298	0.5306
20	CP	0.7576	0.7580	0.7585	0.7590	0.7595	0.7599
21	CM	0.6948	0.6955	0.6962	0.6969	0.6976	0.6983
22	CW	0.8465	0.8475	0.8484	0.8494	0.8503	0.8513
23	CWF						
24	CBF						
25	DISPL TOTAL SW [t]						
	TRIM AFT -0.400 m	1113.4	1118.3	1123.2	1128.1	1133.0	1137.9
	TRIM AFT -0.200 m	1118.8	1123.7	1128.6	1133.4	1138.3	1143.2
	TRIM AFT 0.000 m	1124.5	1129.4	1134.2	1139.1	1144.0	1148.9
	TRIM AFT 0.200 m	1130.5	1135.3	1140.2	1145.0	1149.9	1154.7
	TRIM AFT 0.400 m	1136.7	1141.5	1146.3	1151.1	1156.0	1160.8
	TRIM AFT 0.600 m	1143.0	1147.8	1152.6	1157.5	1162.3	1167.1
26	KMT [m]						
	TRIM AFT -0.400 m	4.755	4.757	4.758	4.759	4.760	4.761
	TRIM AFT -0.200 m	4.740	4.741	4.742	4.744	4.745	4.746
	TRIM AFT 0.000 m	4.725	4.726	4.727	4.729	4.730	4.731
	TRIM AFT 0.200 m	4.710	4.711	4.713	4.714	4.715	4.717
	TRIM AFT 0.400 m	4.696	4.697	4.698	4.700	4.701	4.703
	TRIM AFT 0.600 m	4.683	4.684	4.685	4.687	4.688	4.690
27	LCB FWD RFP [m]						
	TRIM AFT -0.400 m	-3.334	-3.334	-3.335	-3.335	-3.335	-3.335
	TRIM AFT -0.200 m	-3.729	-3.728	-3.727	-3.727	-3.726	-3.725
	TRIM AFT 0.000 m	-4.115	-4.113	-4.111	-4.110	-4.108	-4.106
	TRIM AFT 0.200 m	-4.493	-4.490	-4.488	-4.485	-4.482	-4.480
	TRIM AFT 0.400 m	-4.863	-4.860	-4.856	-4.853	-4.849	-4.846

TRIM AFT 0.600 m	-5.227	-5.223	-5.218	-5.214	-5.209	-5.205
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.788	3.798	3.808	3.818	3.828	3.838
2 DRAUGHT RFP(m)	3.780	3.790	3.800	3.810	3.820	3.830
3 DISPL TOTAL SW(t)	1153.7	1158.6	1163.5	1168.4	1173.3	1178.2
4 DISPL TOTAL FW(t)	1125.6	1130.4	1135.1	1139.9	1144.7	1149.5
5 DISPL MLD(m^3)	1121.0	1125.8	1130.5	1135.3	1140.1	1144.8
6 LCF FWD RFP(m)	-3.629	-3.614	-3.598	-3.583	-3.568	-3.553
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.104	-4.102	-4.100	-4.098	-4.096	-4.094
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.433	2.439	2.444	2.450	2.456	2.462
11 KMT(m)	4.733	4.734	4.736	4.737	4.739	4.741
12 KML(m)	120.1	119.9	119.6	119.4	119.1	118.9
13 IT(m^4)	2578	2584	2591	2597	2603	2609
14 IL/1000(m^4)	131.9	132.2	132.5	132.7	133.0	133.3
15 MCT SW(t*m/cm)	21.81	21.85	21.90	21.94	21.99	22.03
16 TPM SW(t/cm)	4.874	4.880	4.885	4.891	4.896	4.902
17 WPA(m^2)	475.6	476.1	476.6	477.2	477.7	478.2
18 WETSURF(m^2)	762.7	764.1	765.5	767.0	768.4	769.8
19 CB	0.5315	0.5323	0.5332	0.5340	0.5349	0.5357
20 CP	0.7604	0.7608	0.7613	0.7618	0.7622	0.7627
21 CM	0.6990	0.6996	0.7003	0.7010	0.7017	0.7024
22 CW	0.8523	0.8532	0.8542	0.8551	0.8561	0.8570
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	1142.8	1147.7	1152.6	1157.6	1162.5	1167.4
TRIM AFT -0.200 m	1148.2	1153.1	1158.0	1162.9	1167.8	1172.7
TRIM AFT 0.000 m	1153.7	1158.6	1163.5	1168.4	1173.3	1178.2
TRIM AFT 0.200 m	1159.6	1164.4	1169.3	1174.2	1179.1	1184.0
TRIM AFT 0.400 m	1165.6	1170.5	1175.3	1180.2	1185.1	1189.9
TRIM AFT 0.600 m	1171.9	1176.8	1181.6	1186.5	1191.3	1196.2
26 KMT [m]						
TRIM AFT -0.400 m	4.763	4.764	4.766	4.767	4.768	4.770
TRIM AFT -0.200 m	4.748	4.749	4.750	4.752	4.754	4.755
TRIM AFT 0.000 m	4.733	4.734	4.736	4.737	4.739	4.741
TRIM AFT 0.200 m	4.718	4.720	4.721	4.723	4.725	4.726
TRIM AFT 0.400 m	4.704	4.706	4.707	4.709	4.711	4.712
TRIM AFT 0.600 m	4.691	4.692	4.694	4.696	4.697	4.699
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.335	-3.335	-3.335	-3.335	-3.335	-3.334
TRIM AFT -0.200 m	-3.722	-3.721	-3.720	-3.719	-3.718	-3.717
TRIM AFT 0.000 m	-4.104	-4.102	-4.100	-4.098	-4.096	-4.094
TRIM AFT 0.200 m	-4.477	-4.474	-4.471	-4.468	-4.465	-4.462
TRIM AFT 0.400 m	-4.842	-4.838	-4.835	-4.831	-4.827	-4.823

TRIM AFT 0.600 m	-5.200	-5.196	-5.191	-5.187	-5.182	-5.177
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.848	3.858	3.868	3.878	3.888	3.898
2 DRAUGHT RFP(m)	3.840	3.850	3.860	3.870	3.880	3.890
3 DISPL TOTAL SW(t)	1183.1	1188.0	1192.9	1197.9	1202.9	1207.8
4 DISPL TOTAL FW(t)	1154.3	1159.0	1163.8	1168.7	1173.5	1178.3
5 DISPL MLD(m^3)	1149.6	1154.4	1159.2	1164.0	1168.9	1173.7
6 LCF FWD RFP(m)	-3.538	-3.522	-3.507	-3.492	-3.500	-3.486
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.091	-4.089	-4.087	-4.085	-4.081	-4.078
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.467	2.473	2.479	2.484	2.490	2.496
11 KMT(m)	4.742	4.744	4.746	4.748	4.749	4.751
12 KML(m)	118.6	118.4	118.1	117.9	117.3	117.1
13 IT(m^4)	2615	2622	2628	2634	2641	2647
14 IL/1000(m^4)	133.5	133.8	134.1	134.3	134.2	134.5
15 MCT SW(t*m/cm)	22.08	22.12	22.16	22.21	22.19	22.23
16 TPM SW(t/cm)	4.907	4.913	4.918	4.924	4.926	4.931
17 WPA(m^2)	478.7	479.3	479.8	480.3	480.6	481.1
18 WETSURF(m^2)	771.2	772.6	774.0	775.4	776.9	778.3
19 CB	0.5365	0.5374	0.5382	0.5390	0.5399	0.5407
20 CP	0.7631	0.7636	0.7641	0.7645	0.7650	0.7655
21 CM	0.7030	0.7037	0.7044	0.7051	0.7057	0.7064
22 CW	0.8580	0.8589	0.8599	0.8608	0.8612	0.8622
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	1172.4	1177.3	1182.3	1187.2	1192.2	1197.2
TRIM AFT -0.200 m	1177.7	1182.6	1187.5	1192.5	1197.4	1202.4
TRIM AFT 0.000 m	1183.1	1188.0	1192.9	1197.9	1202.9	1207.8
TRIM AFT 0.200 m	1188.8	1193.7	1198.7	1203.6	1208.5	1213.4
TRIM AFT 0.400 m	1194.8	1199.7	1204.6	1209.5	1214.4	1219.3
TRIM AFT 0.600 m	1201.0	1205.9	1210.8	1215.6	1220.5	1225.4
26 KMT [m]						
TRIM AFT -0.400 m	4.772	4.773	4.775	4.777	4.778	4.780
TRIM AFT -0.200 m	4.757	4.758	4.760	4.762	4.764	4.765
TRIM AFT 0.000 m	4.742	4.744	4.746	4.748	4.749	4.751
TRIM AFT 0.200 m	4.728	4.730	4.732	4.733	4.735	4.737
TRIM AFT 0.400 m	4.714	4.716	4.718	4.720	4.722	4.724
TRIM AFT 0.600 m	4.701	4.703	4.704	4.706	4.708	4.710
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.334	-3.334	-3.333	-3.333	-3.332	-3.331
TRIM AFT -0.200 m	-3.715	-3.714	-3.713	-3.711	-3.710	-3.708
TRIM AFT 0.000 m	-4.091	-4.089	-4.087	-4.085	-4.081	-4.078
TRIM AFT 0.200 m	-4.459	-4.456	-4.453	-4.450	-4.447	-4.443
TRIM AFT 0.400 m	-4.820	-4.816	-4.812	-4.808	-4.804	-4.800

TRIM AFT 0.600 m	-5.173	-5.168	-5.164	-5.159	-5.154	-5.149
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.908	3.918	3.928	3.938	3.948	3.958
2 DRAUGHT RFP(m)	3.900	3.910	3.920	3.930	3.940	3.950
3 DISPL TOTAL SW(t)	1212.7	1217.7	1222.6	1227.6	1232.6	1237.5
4 DISPL TOTAL FW(t)	1183.2	1188.0	1192.8	1197.7	1202.5	1207.3
5 DISPL MLD(m^3)	1178.5	1183.3	1188.1	1193.0	1197.8	1202.6
6 LCF FWD RFP(m)	-3.471	-3.457	-3.442	-3.428	-3.413	-3.399
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.076	-4.073	-4.071	-4.068	-4.066	-4.063
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.501	2.507	2.513	2.519	2.524	2.530
11 KMT(m)	4.753	4.755	4.757	4.759	4.761	4.763
12 KML(m)	116.8	116.6	116.3	116.1	115.9	115.6
13 IT(m^4)	2653	2660	2666	2672	2679	2685
14 IL/1000(m^4)	134.7	135.0	135.2	135.5	135.8	136.0
15 MCT SW(t*m/cm)	22.27	22.31	22.36	22.40	22.44	22.49
16 TPM SW(t/cm)	4.937	4.942	4.947	4.953	4.958	4.964
17 WPA(m^2)	481.6	482.1	482.7	483.2	483.7	484.3
18 WETSURF(m^2)	779.7	781.1	782.5	784.0	785.4	786.8
19 CB	0.5415	0.5424	0.5432	0.5440	0.5448	0.5456
20 CP	0.7659	0.7664	0.7668	0.7672	0.7677	0.7681
21 CM	0.7071	0.7077	0.7084	0.7090	0.7097	0.7103
22 CW	0.8631	0.8641	0.8650	0.8659	0.8669	0.8678
23 CWF						
24 CBF						
25 DISPL TOTAL SW [t]						
TRIM AFT -0.400 m	1202.1	1207.1	1212.1	1217.1	1222.1	1227.1
TRIM AFT -0.200 m	1207.3	1212.3	1217.3	1222.2	1227.2	1232.2
TRIM AFT 0.000 m	1212.7	1217.7	1222.6	1227.6	1232.6	1237.5
TRIM AFT 0.200 m	1218.3	1223.3	1228.2	1233.1	1238.1	1243.0
TRIM AFT 0.400 m	1224.2	1229.1	1234.0	1238.9	1243.9	1248.8
TRIM AFT 0.600 m	1230.3	1235.2	1240.1	1245.0	1249.9	1254.8
26 KMT [m]						
TRIM AFT -0.400 m	4.782	4.784	4.786	4.788	4.790	4.792
TRIM AFT -0.200 m	4.767	4.769	4.771	4.773	4.775	4.777
TRIM AFT 0.000 m	4.753	4.755	4.757	4.759	4.761	4.763
TRIM AFT 0.200 m	4.739	4.741	4.743	4.745	4.747	4.749
TRIM AFT 0.400 m	4.726	4.728	4.730	4.732	4.734	4.736
TRIM AFT 0.600 m	4.712	4.714	4.716	4.718	4.721	4.723
27 LCB FWD RFP [m]						
TRIM AFT -0.400 m	-3.331	-3.330	-3.329	-3.328	-3.327	-3.327
TRIM AFT -0.200 m	-3.707	-3.705	-3.703	-3.702	-3.700	-3.698
TRIM AFT 0.000 m	-4.076	-4.073	-4.071	-4.068	-4.066	-4.063
TRIM AFT 0.200 m	-4.440	-4.437	-4.433	-4.430	-4.427	-4.423
TRIM AFT 0.400 m	-4.796	-4.792	-4.788	-4.783	-4.779	-4.775

TRIM AFT 0.600 m	-5.145	-5.140	-5.135	-5.130	-5.125	-5.120
------------------	--------	--------	--------	--------	--------	--------



SRH11[Ver.2023]1.001

20226918 — CSDDC

静水力 尾倾 0.000 m 横倾角 0.000 deg

1 DRAUGHT EXTREME(m)	3.968	3.978	3.988	3.998	4.008
2 DRAUGHT RFP(m)	3.960	3.970	3.980	3.990	4.000
3 DISPL TOTAL SW(t)	1242.5	1247.5	1252.5	1257.5	1262.5
4 DISPL TOTAL FW(t)	1212.2	1217.1	1221.9	1226.8	1231.7
5 DISPL MLD(m^3)	1207.5	1212.3	1217.2	1222.0	1226.9
6 LCF FWD RFP(m)	-3.384	-3.370	-3.356	-3.341	-3.326
7 TCF STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000
8 LCB FWD OF RFP(m)	-4.060	-4.058	-4.055	-4.052	-4.049
9 TCB STB OF RFP(m)	0.000	0.000	0.000	0.000	0.000
10 VCB ABOVE RFP(m)	2.536	2.542	2.547	2.553	2.559
11 KMT(m)	4.765	4.767	4.769	4.772	4.774
12 KML(m)	115.4	115.2	114.9	114.7	114.5
13 IT(m^4)	2692	2698	2705	2711	2718
14 IL/1000(m^4)	136.3	136.5	136.8	137.1	137.3
15 MCT SW(t*m/cm)	22.53	22.57	22.61	22.66	22.70
16 TPM SW(t/cm)	4.969	4.974	4.980	4.985	4.991
17 WPA(m^2)	484.8	485.3	485.8	486.4	486.9
18 WETSURF(m^2)	788.2	789.6	791.0	792.5	793.9
19 CB	0.5464	0.5473	0.5481	0.5489	0.5497
20 CP	0.7686	0.7690	0.7695	0.7699	0.7703
21 CM	0.7110	0.7116	0.7123	0.7129	0.7136
22 CW	0.8688	0.8697	0.8707	0.8716	0.8726
23 CWF					
24 CBF					
25 DISPL TOTAL SW [t]					
TRIM AFT -0.400 m	1232.1	1237.1	1242.2	1247.2	1252.2
TRIM AFT -0.200 m	1237.2	1242.2	1247.2	1252.2	1257.2
TRIM AFT 0.000 m	1242.5	1247.5	1252.5	1257.5	1262.5
TRIM AFT 0.200 m	1248.0	1253.0	1258.0	1263.0	1267.9
TRIM AFT 0.400 m	1253.8	1258.7	1263.7	1268.6	1273.6
TRIM AFT 0.600 m	1259.8	1264.7	1269.6	1274.6	1279.5
26 KMT [m]					
TRIM AFT -0.400 m	4.794	4.796	4.798	4.800	4.803
TRIM AFT -0.200 m	4.779	4.781	4.784	4.786	4.788
TRIM AFT 0.000 m	4.765	4.767	4.769	4.772	4.774
TRIM AFT 0.200 m	4.751	4.754	4.756	4.758	4.760
TRIM AFT 0.400 m	4.738	4.740	4.743	4.745	4.747
TRIM AFT 0.600 m	4.725	4.727	4.730	4.732	4.734
27 LCB FWD RFP [m]					
TRIM AFT -0.400 m	-3.325	-3.324	-3.323	-3.322	-3.321
TRIM AFT -0.200 m	-3.696	-3.694	-3.692	-3.690	-3.688
TRIM AFT 0.000 m	-4.060	-4.058	-4.055	-4.052	-4.049
TRIM AFT 0.200 m	-4.420	-4.416	-4.411	-4.408	-4.404
TRIM AFT 0.400 m	-4.771	-4.767	-4.762	-4.758	-4.754

TRIM AFT 0.600 m

-5.115

-5.110

-5.106

-5.101

-5.095

SRH11[Ver.2023]1.001

20226918 — CSDDC