

绍兴文理学院政府采购合同

需方(甲): 绍兴文理学院 合同编号: 2021XT-LW/J-234

标文编号: CGSHZJ-2021-N000527

供方(乙): 上海协通(集团)有限公司 收货地址: 绍兴市城南大道900号

联系电话: 021-36353720 邮 编: 200072 传 真: / 联系人: 程添佳

订购产品如下:

标号	设备名称	生产厂家	型号规格	单价	数量	小计
1	高效液相色谱仪	安捷伦	1260II	344500	1	344500
2	高效液相色谱仪	安捷伦	1260II	284500	1	284500
合计（大写）：陆拾贰万元整 合计（小写）：¥629000 元						
注：产品的规格型号、技术指标等详见标书或技术协议书。						

一、结算方式及期限: 合同签订前交合同额 5% 的履约保证金(3万元以上 5%-10%), 即¥ 31450 元, 货到验收合格 15 天内按合同额 100% 付款, 计¥ 629000 元, 同时履约保证金自动转为质保金(不计息)。正常运行 1 年无质量问题后, 返还质保金; 有质量问题延期退还质保金或有权扣除部分(或全部)质保金。

二、交(提)货方式、地点: 合同签订后 180 日内送货到绍兴文理学院(绍兴市城南大道900号)。

三、验收标准及提出异议期限: 原包装拆封按招标要求甲方组织验收, 收到货物 15 天内提出异议。

四、供方对质量负责的条件和期限: 按投标文件承诺 1 年免费上门维修, 响应时间 48 小时, 终身服务。

五、违约责任按《民法典-合同编》相关事宜处理, 设备质量检测不合格由乙方负责退回调换, 损失由乙方负责。乙方逾期供货, 处以每日按合同总价的千分之二的违约金, 还应承担甲方损失, 违约金从质保金或合同款中扣除; 甲方收到货后, 应在七个工作日内对安装完成的设备进行验收, 15 个工作日内付款, 若验收不合格则付款顺延; 延期验收责任方处以供货逾期同等违约金。



六、符合招标要求的合同签订盖章后, 具有法律约束力。任何一方不得擅自修改或终止, 如需要修改或终止, 应经双方协商同意后, 签订修改或终止合同协议书。甲方有权随时终止、拒签不符合招标要求的合同。

七、免税进口产品在未到货验收之前, 由乙方(中标方)负责对外开具信用证、预付定金。

八、其他事宜约定: 履行本合同过程中产生争议, 双方协商解决; 协商不成, 均可向甲方所在地人民法院起诉。

九、乙方须按投标文件及承诺成为合同的组成部分执行。



需 方	供 方
单位名称（公章）：绍兴文理学院	单位名称（公章）：上海协通（集团）有限公司
单位地址：绍兴市环城西路 508 号	单位地址：上海市闸北区永和路 318 弄 18 号楼 309 室
项目负责人（签字）： 	法定代表人（签名）：
学院（部处）领导（签字）： 	委托代理人（签名）： 
法定代表或委托代理人（签字）： 	电话（传真）：021-36353720(021-36353723)
电话（传真）：0575-88341297	开户银行：上海银行安亭支行
开户银行：绍兴市商业银行业务部	帐 号：31983903002866772
帐 号：0900000103106600010	邮 编：200072
签订时间：2021 年 6 月 28 日	签订时间：2021 年 6 月 28 日

Shanghai Xietong (Group) Co., Ltd.

绍兴文理学院章

附件. 配置清单

序号	设备名称	投标品牌及型号	规格配置详细说明	数量
一	高效液相色谱仪	安捷伦 1260II 高效液相色谱仪	安捷伦 1260II 高效液相色谱仪 (DAD 配置)	1
1.			G7111B 1260 Infinity II Quaternary Pump, maximum pressure 600bar. Includes quaternary pump with integrated 4-channel degassing unit, 四元泵, 最大压力 600bar, 包含脱气机	1
2.			G7111B 001 HPLC System Tool Kit, for Agilent 1260/1290 Infinity II LC 系统工具包	1
3.			G7111B 030 Active Seal Wash 柱塞杆清洗装置	1
4.			G7129A 1260 Infinity II Vialsampler for use up to 600 bar. Includes 100 uL metering device and a 100 uL sample loop plus integrated needle 自动进样器	1
5.			G7129A 010 Standard drawer (6x11 vials) 样品盘架	1
6.			G7129A 066 Integrated column compartment for up to two columns with 6 uL heater olume; 0.17 mm capillaries for standard analytical flow rates up to 5 mL/min and higher Recommended for robust routine analysis. 柱温箱	1

7.			G7115A 1260 Infinity II Diode Array Detector WR. Provides 120Hz data acquisition rate RFID tags for flow cell and lamp. Includes long-life 二极管阵列检测器	1
8.			G7115A 018 Standard flow cell 10mm, 13uL, 120bar 流通池	1
9.			M8417AA OpenLab CDS VL Workstation software. Includes VL software and 1 instrument connection. Does not include Software Maintenance 控制软件	1
10.			M8417AA 44K Installation (44K)	1
11.			M8417AA 44L Familiarization at Installation (44L)	1
12.			M8431AA OpenLab CDS Instrument Connection for 1 LC, GC, Analog/Digital Converter, 3D UV/DAD or MS detector. 3D 光谱软件	1
13.			5182-0864 Screw cap vials, pre-assembled, 100/PK 样品瓶, 100/包	1
14.			0890-1763 Tube PEEK 0.18mm x 1524mm, 1.6mm OD (1/16in OD, 0.007in ID, 5ft length), color: yellow PEEK 管线	1
15.			5063-6591 PEEK finger-tight 1/16 in, 10PK PEEK 接头, 10/包	1
16.			G1310-68730 PM Kit for isocratic/quaternary pump includes piston	1

			seal, PTFE frits, 2 seal caps 柱塞杆密封垫、PTFE 滤芯、密封盖 2/pk	
17.			693975-302 InfinityLab Poroshell 120 EC-C18, 3 x 150 mm, 2.7 um solvent saver LC column 色谱柱	2
18.			959990-902 ZORBAX Eclipse Plus 95Å C18, 4.6 x 250 mm, 5 µm HPLC column 色谱柱	1
19.			DELL V3888 电脑	1
20.			HP 108A 激光打印机	1
二	高效 液相 色谱 仪	安捷伦 1260II 高效液 相色谱 仪	安捷伦 1260II 高效液相色谱仪（紫外配置）	1
21.			G7111B 1260 Infinity II Quaternary Pump, maximum pressure 600bar. Includes quaternary pump with integrated 4-channel degassing unit, 四元泵，最大压力 600bar，包含脱气机	1
22.			G7111B 001 HPLC System Tool Kit, for Agilent 1260/1290 Infinity II LC 系统工具包	1
23.			G7111B 030 Active Seal Wash 柱塞杆清洗装置	1
24.			G7129A 1260 Infinity II Vialsampler for use up to 600 bar. Includes 100 uL metering device and a 100 uL sample loop plus integrated needle 自动进样器	1
25.			G7129A 010	1

			Standard drawer (6x11 vials) 样品盘架	
26.			G7129A 066 Integrated column compartment for up to two columns with 6 uL heater olume; 0.17 mm capillaries for standard analytical flow rates up to 5 mL/min and higher Recommended for robust routine analysis. 柱温箱	1
27.			G7114A 1260 Infinity II Variable Wavelength Detector. For fast programmable single (up to 120 Hz) and dual wavelength detection. RFID tracking technology for flow cells and UV lamp. Flow cell must be ordered as an option. 紫外检测器	1
28.			G7114A 018 Standard flow cell for VWD. Includes stainless steel flow cell with RFID tag for identification, 10 mm path length, 14 microliter cell volume. 紫外检测器流通池	1
29.			M8417AA OpenLab CDS VL Workstation software. Includes VL software and 1 instrument connection. Does not include Software Maintenance 控制软件	1
30.			M8417AA 44K Installation (44K)	1
31.			M8417AA 44L Familiarization at Installation (44L)	1
32.			5182-0864 Screw cap vials, pre-assembled, 100/PK 样品瓶, 100/包	1
33.			0890-1763 Tube PEEK 0.18mm x 1524mm, 1.6mm OD (1/16in OD, 0.007in ID, 5ft length), color: yellow	1

			PEEK 管线	
34.			5063-6591 PEEK finger-tight 1/16 in, 10PK PEEK 接头, 10/包	1
35.			G1310-68730 PM Kit for isocratic/quaternary pump includes piston seal, PTFE frits, 2 seal caps 柱塞杆密封、PTFE 滤芯、密封盖 2/pk	1
36.			693975-302 InfinityLab Poroshell 120 EC-C18, 3 x 150 mm, 2.7 um solvent saver LC column 色谱柱	2
37.			990967-902 ZORBAX Eclipse XDB 80Å C18, 4.6 x 250 mm, 5 µm HPLC column 色谱柱	1
38.			DELL V3888 电脑	1
39.			HP 108A 激光打印机	1